Printing date 06/04/2024

\*

Reviewed on 06/04/2024

	Reviewed on 06/04/20
Identification	
Product identifier	
• Trade name: <u>DMAP 1% w/v</u> in N-Methylpyrrolidone	
Article number: BAS738	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
• <b>Information department:</b> Technical Coordinator Sherman Nelson shermann@aquasolutions.org • <b>Emergency telephone number:</b>	,
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Toxic to Reproduction 1B	H360 May damage fertility or the unborn child.
GHS07	
Skin Irritation 2	H315 Causes skin irritation.
Skin Irritation 2 Eye Irritation 2A	H315 Causes skin irritation. H319 Causes serious eye irritation.
	H319 Causes serious eye irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 • Label elements	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 Label elements GHS label elements The product is classified a	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation. H227 Combustible liquid.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 Label elements GHS label elements The product is classified a Hazard pictograms	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation. H227 Combustible liquid.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: 1-Methyl-2-Pyrrolidinone	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation. H227 Combustible liquid.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 • Label elements • GHS label elements The product is classified a • Hazard pictograms • GHS07 GHS08 • Signal word Danger • Hazard-determining components of labeling: 1-Methyl-2-Pyrrolidinone • Hazard statements	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation. H227 Combustible liquid.
Eye Irritation 2A Specific Target Organ Toxicity - Single Exposu Flammable Liquids 4 Label elements GHS label elements The product is classified a Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: 1-Methyl-2-Pyrrolidinone	H319 Causes serious eye irritation. are 3 H335 May cause respiratory irritation. H227 Combustible liquid.

US

Printing date 06/04/2024

Reviewed on 06/04/2024

## Trade name: DMAP 1% w/v in N-Methylpyrrolidone

	(Contil of more 1)
May damage fertility or the unborn child.	(Contd. of page 1)
May cause respiratory irritation.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from flames and hot surfaces. – No smoking.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system:	
· NFPA ratings (scale 0 - 4)	
11111111155 (Scule 0 - +)	
Health = 2	
Fire = 1	
2 $0$ Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH <sup>*2</sup> $Health = *2$	
FIRE 1 $Fire = 1$	
<b>REACTIVITY</b> Reactivity = $0$	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	,
· Dangerous components:	
CAS: 872-50-4 1-Methyl-2-Pyrrolidinone	99.025%
CAS, 1122 59 2 4 Dimedual and a second line	0.0750

CAS: 1122-58-3 4-Dimethylaminopyridine

\*

(Contd. on page 3)

0.975%

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: DMAP 1% w/v

in N-Methylpyrrolidone

(Contd. of page 2)

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

• PAC-1:	
CAS: 872-50-4 1-Methyl-2-Pyrrolidinone	30 ppm
· PAC-2:	
CAS: 872-50-4 1-Methyl-2-Pyrrolidinone	32 ppm
· PAC-3:	
CAS: 872-50-4 1-Methyl-2-Pyrrolidinone	190 ppm
· · · · · · · · · · · · · · · · · · ·	U

(Contd. on page 4)

*Printing date 06/04/2024* 

Reviewed on 06/04/2024

Trade name: DMAP 1% w/v in N-Methylpyrrolidone

(Contd. of page 3)

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 872-50-4 1-Methyl-2-Pyrrolidinone

TLV BEI

WEEL Long-term value: 10 ppm Skin

#### · Ingredients with biological limit values:

CAS: 872-50-4 1-Methyl-2-Pyrrolidinone

BEI 100 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: 5-Hydroxy-N-methyl-2-pyrrolidone

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- *Immediately remove all soiled and contaminated clothing.*
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: DMAP 1% w/v in N-Methylpyrrolidone

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

ties	
chemical properties	
Liquid	
Light yellow	
Not determined.	
Not determined.	
-24 °C (-11.2 °F)	
202 °C (395.6 °F)	
93 °C (199.4 °F)	
Not applicable.	
270 °C (518 °F)	
Not determined.	
Product is not selfigniting.	
Not determined.	
1.3 Vol %	
9.5 Vol %	
	Light yellow Amine-like Not determined. Not determined. -24 °C (-11.2 °F) 202 °C (395.6 °F) 93 °C (199.4 °F) Not applicable. 270 °C (518 °F) Not determined. Product is not selfigniting. Not determined. 1.3 Vol %

(Contd. on page 6)

US

*Printing date 06/04/2024* 

Reviewed on 06/04/2024

#### Trade name: DMAP 1% w/v in N-Methylpyrrolidone

		(Contd. of page 5
· Vapor pressure at 20 °C (68 °F):	0.3 hPa (0.2 mm Hg)	
· Density at 20 °C (68 °F):	1.026 g/cm <sup>3</sup> (8.56197 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	1.65 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.0 %	
VOC content:	99.03 %	
	990.3 g/l / 8.26 lb/gal	
Solids content:	1.0 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

#### · Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acu	te Toxicity	<sup>,</sup> Estimate)
Oral	LD50	14,360 mg/kg (rat)

orai		1 1,2 00 118/18 (141)
Dermal	LD50	9,232 mg/kg (rabbit)
Inhalative	LC50/4h	51.3 mg/l

#### · Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

*Printing date 06/04/2024* 

Reviewed on 06/04/2024

Trade name: DMAP 1% w/v

in N-Methylpyrrolidone

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## <u>12 Ecological information</u>

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
		(Contd. on page 8)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: DMAP 1% w/v in N-Methylpyrrolidone

		(Contd. of page 7)
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anno MARPOL73/78 and the IBC Code	e <b>x II of</b> Not applicable.	
· UN "Model Regulation":	Not regulated	

# **15 Regulatory information**

\*

Section 35	5 (extremely hazardous substances):	
	e ingredients is listed.	
Section 31	3 (Specific toxic chemical listings):	
	50-4 1-Methyl-2-Pyrrolidinone	
TSCA (To.	cic Substances Control Act):	
•	-Pyrrolidinone	ACTIV
4-Dimethy	laminopyridine	ACTIV
Hazardous	Air Pollutants	
None of th	e ingredients is listed.	
Propositio	1 65	
Chemicals	known to cause cancer:	
None of th	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for females:	
None of th	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of th	e ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
CAS: 872-	50-4 1-Methyl-2-Pyrrolidinone	
Carcinoge	nic categories	
-	ronmental Protection Agency)	
None of the	e ingredients is listed.	
TLV (Thre	shold Limit Value)	
,	e ingredients is listed.	
NIOSH-C	a (National Institute for Occupational Safety and Health)	
	e ingredients is listed.	

Printing date 06/04/2024

Trade name: DMAP 1% w/v in N-Methylpyrrolidone Reviewed on 06/04/2024

(Contd. of page 8) · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: 1-Methyl-2-Pyrrolidinone · Hazard statements Combustible liquid. Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May cause respiratory irritation. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. *Call a poison center/doctor if you feel unwell.* Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/04/2024

(Contd. on page 10)

Printing date 06/04/2024

Reviewed on 06/04/2024

## Trade name: DMAP 1% w/v in N-Methylpyrrolidone

	(Contd. of page 9
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 4: Flammable liquids – Category 4	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	