Printing date 06/18/2024

Reviewed on 06/18/2024

1 Identification

- · Product identifier
- Trade name: <u>Methyl Red Indicator</u> <u>1 g/L Soln. ASTM D 1091</u>
- · Article number: 5856
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger Hazard statements Highly flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.


(Contd. on page 2)

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

(Contd. of page 1)



· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	48.795%
CAS: 67-56-1	Methanol	2.719%
CAS: 67-63-0	Isopropanol	2.696%
•	azardous Ingredients	
CAS: 7732-18		45.675%
CAS: 493-52-7	Methyl Red	0.115%

4 First-aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Special hazards arising from the substance or mixture No further relevant information available.*

(Contd. on page 3)

[·] Description of first aid measures

US

Printing date 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal prec	autions, protective equipment and emergency procedures	
Wear protectiv	e equipment. Keep unprotected persons away.	
 Environmenta 	l precautions:	
Dilute with ple	enty of water.	
Do not allow t	o enter sewers/ surface or ground water.	
• Methods and i	naterial for containment and cleaning up:	
Absorb with lie	quid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose conta	minated material as waste according to section 13.	
Ensure adequa	ate ventilation.	
· Reference to o	ther sections	
See Section 7 j	for information on safe handling.	
See Section 8 j	for information on personal protection equipment.	
See Section 13	for disposal information.	
· Protective Act	ion Criteria for Chemicals	
· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

(Contd. of page 2)

Reviewed on 06/18/2024

US

Printing date 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters · Components with limit values that require monitoring at the workplace: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1000 ppm AЗ CAS: 67-56-1 Methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc CAS: 67-63-0 Isopropanol PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm TLVShort-term value: 400 ppm Long-term value: 200 ppm BEI, A4 · Ingredients with biological limit values: CAS: 67-56-1 Methanol BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) CAS: 67-63-0 Isopropanol BEI 40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

· Breathing equipment: Not required.

(Contd. on page 5)

(Contd. of page 3)

Reviewed on 06/18/2024

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties		
General Information Appearance:		
Form:	Liquid	
Color:	Red	
Odor:	de l'alcool	
	1	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78 °C (172.4 °F)	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.8735 g/cm ³ (7.28936 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	54.2 %
Water:	45.7 %
VOC content:	54.21 %
	473.5 g/l / 3.95 lb/gal
Solids content:	48.9 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity	Estimate)
------------	----------	-----------

Oral LD50 3,678 mg/kg

Dermal LD50 11,033 mg/kg

Inhalative LC50/4h 110 mg/l

(Contd. on page 7)

[·] Chemical stability

US ·

Printing date 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

CAS: 493-52-7 Methyl Red

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number		
· DOT, IMDG, IATA	UN1993	

Reviewed on 06/18/2024

(Contd. of page 6)

1

3

3

Printing date 06/18/2024

Reviewed on 06/18/2024

ide name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091	
	(Contd. of pa
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
· IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropand))
· Transport hazard class(es)	
DOT	
RAMARE LOOD	
· Class	3 Flammable liquids
· Label · IMDG, IATA	5
Class Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code) • EMS Number:	: 55 F-E,S-E
Stowage Category	A
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
\cdot Limited quantities (LQ)	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANC METHANOL, ISOPROPANOL), 3, III

(Contd. on page 9)

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

(Contd. of page 8)

No further relevant information available. • Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
• Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
• TSCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Water	ACTIVE
Methanol	ACTIVI
Isopropanol	ACTIVI
Methyl Red	ACTIVE
· Hazardous Air Pollutants	· ·
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	
CAS: 67-56-1 Methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
None of the ingredients is listed.	
č	A.
None of the ingredients is listed. • TLV (Threshold Limit Value)	A. A-

· Hazard pictograms



(Contd. on page 10)

US

Printing date 06/18/2024

· Signal word Danger

Reviewed on 06/18/2024

Trade name: Methyl Red Indicator 1 g/L Soln. ASTM D 1091

(Contd. of page 9)

	0
Hazard s	tatements
Highly fle	ammable liquid and vapor.
Precautio	onary statements
Keep awa	ay from heat/sparks/open flames/hot surfaces No smoking.
Keep con	tainer tightly closed.
Ground/k	bond container and receiving equipment.
Use explo	psion-proof electrical/ventilating/lighting/equipment.
Use only	non-sparking tools.
Take pred	cautionary measures against static discharge.
Wear pro	tective gloves/protective clothing/eye protection/face protection.
If on skin	(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
In case oj	f fire: Use CO2, powder or water spray to extinguish.
Store in d	a well-ventilated place. Keep cool.
Dispose a	of contents/container in accordance with local/regional/national/international regulations
Chemica	<i>I safety assessment:</i> A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/18/2024: Reviewed SDS for accuracy. MH/STN 06/18/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2

 \cdot * Data compared to the previous version altered.