

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

1 Identification

- **Product identifier**
- **Trade name:** Acid Wash Color Std. #10
Prepared to ASTM D848-18
- **Article number:** 015010
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** *Danger*

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 1)

· **Hazard-determining components of labeling:**

Potassium Chromate
 Potassium Dichromate

· **Hazard statements**

Harmful if swallowed or if inhaled.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause an allergic skin reaction.
 May cause genetic defects.
 May cause cancer.
 May damage fertility or the unborn child.
 May cause respiratory irritation.

· **Precautionary statements**

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 [In case of inadequate ventilation] wear respiratory protection.
 If swallowed: Call a poison center/doctor if you feel unwell.
 Rinse mouth.
 If on skin: Wash with plenty of water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a poison center/doctor.
 Wash contaminated clothing before reuse.
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2
 Fire = 3
 Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = 3
 Fire = 3
 Reactivity = 0

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7789-00-6	Potassium Chromate	41.386%
CAS: 7778-50-9	Potassium Dichromate	0.49%

- **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	58.124%
----------------	-------	---------

4 First-aid measures

- **Description of first aid measures**
- **General information:**
 Immediately remove any clothing soiled by the product.
 Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 7789-00-6	Potassium Chromate	0.56 mg/m ³
CAS: 7778-50-9	Potassium Dichromate	0.42 mg/m ³

· **PAC-2:**

CAS: 7789-00-6	Potassium Chromate	9.7 mg/m ³
CAS: 7778-50-9	Potassium Dichromate	7.4 mg/m ³

· **PAC-3:**

CAS: 7789-00-6	Potassium Chromate	58 mg/m ³
CAS: 7778-50-9	Potassium Dichromate	44 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7789-00-6 Potassium Chromate	
PEL	Long-term value: 0.005* mg/m ³ Ceiling limit value: 0.1** mg/m ³ *as Cr(VI) **as CrO ₃ ; see 29 CFR 1910.1026

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 4)

REL	Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV	Short-term value: 0.0005 mg/m ³ Long-term value: 0.0002 mg/m ³ as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN

CAS: 7778-50-9 Potassium Dichromate

PEL	Long-term value: 0.005* mg/m ³ Ceiling limit value: 0.1** mg/m ³ *as Cr(VI) **as CrO ₃ ; see 29 CFR 1910.1026
REL	Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV	Short-term value: 0.0005 mg/m ³ Long-term value: 0.0002 mg/m ³ as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN

· Ingredients with biological limit values:**CAS: 7789-00-6 Potassium Chromate**

BEI	25 µg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)
	10 µg/L LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

CAS: 7778-50-9 Potassium Dichromate

BEI	25 µg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)
	10 µg/L LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

· **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.
 Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 5)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Yellow-orange
Odor:	Odorless
Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 6)

- | | |
|------------------------------------|--|
| · Density at 20 °C (68 °F): | 1.36116 g/cm ³ (11.35888 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |

- | | |
|--|-----------------|
| · Solubility in / Miscibility with Water: | Fully miscible. |
|--|-----------------|

- | | |
|---|-----------------|
| · Partition coefficient (n-octanol/water): | Not determined. |
|---|-----------------|

- | | |
|---------------------|-----------------|
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |

- | | |
|---------------------------|-----------------------|
| · Solvent content: | |
| Water: | 58.1 % |
| VOC content: | 0.00 % |
| | 0.0 g/l / 0.00 lb/gal |

- | | |
|------------------------|--------|
| Solids content: | 41.9 % |
|------------------------|--------|

- | | |
|----------------------------|--|
| · Other information | No further relevant information available. |
|----------------------------|--|

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- | |
|---|
| · LD/LC50 values that are relevant for classification: |
|---|

ATE (Acute Toxicity Estimate)		
--------------------------------------	--	--

Oral	LD50	426 mg/kg
Inhalative	LC50/4h	10.2 mg/l

CAS: 7789-00-6 Potassium Chromate		
--	--	--

Oral	LD50	100 mg/kg (ATE)
------	------	-----------------

CAS: 7778-50-9 Potassium Dichromate		
--	--	--

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)
Inhalative	LC50/4h	0.05 mg/l (ATE)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 7)

- **Sensitization:**
Sensitization possible through inhalation.
Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
The product can cause inheritable damage.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7789-00-6	Potassium Chromate	I
CAS: 7778-50-9	Potassium Dichromate	I

· **NTP (National Toxicology Program)**

CAS: 7789-00-6	Potassium Chromate	K
CAS: 7778-50-9	Potassium Dichromate	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS





Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 8)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA 	UN3139
<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG · IATA 	<p><i>Oxidizing liquid, n.o.s. (Potassium Chromate, Potassium Dichromate)</i></p> <p>OXIDIZING LIQUID, N.O.S. (Potassium Chromate, Potassium Dichromate), MARINE POLLUTANT</p> <p>OXIDIZING LIQUID, N.O.S. (Potassium Chromate, Potassium Dichromate)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  <p>OXIDIZER 5.1</p> </div>
<ul style="list-style-type: none"> · Class · Label 	<p>5.1 Oxidizing substances</p> <p>5.1</p>
<ul style="list-style-type: none"> · IMDG 	<div style="text-align: center;">   </div>
<ul style="list-style-type: none"> · Class · Label 	<p>5.1 Oxidizing substances</p> <p>5.1</p>
<ul style="list-style-type: none"> · IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	<p>5.1 Oxidizing substances</p> <p>5.1</p>
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	<p><i>Product contains environmentally hazardous substances:</i> Potassium Chromate</p> <p>Yes Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category · Segregation Code 	<p>Warning: Oxidizing substances</p> <p>51</p> <p>F-A,S-Q</p> <p>B</p> <p>SG38 Stow "separated from" SGG2-ammonium compounds.</p> <p>SG49 Stow "separated from" SGG6-cyanides</p> <p>SG60 Stow "separated from" SGG16-peroxides</p>

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 9)

- | | |
|--|---|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · IMDG | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3139 OXIDIZING LIQUID, N.O.S. (POTASSIUM CHROMATE, POTASSIUM DICHROMATE), 5.1, III |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):
--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
--

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

· TSCA (Toxic Substances Control Act):

Water	ACTIVE
-------	--------

Potassium Chromate	ACTIVE
--------------------	--------

Potassium Dichromate	ACTIVE
----------------------	--------

· Hazardous Air Pollutants

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

· Proposition 65

· Chemicals known to cause cancer:

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

· Chemicals known to cause reproductive toxicity for females:
--

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

· Chemicals known to cause reproductive toxicity for males:
--

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

· Chemicals known to cause developmental toxicity:

CAS: 7789-00-6	Potassium Chromate
----------------	--------------------

CAS: 7778-50-9	Potassium Dichromate
----------------	----------------------

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 10)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 7789-00-6	Potassium Chromate	A(inh), D(oral), K/L(inh), CBD(oral)
CAS: 7778-50-9	Potassium Dichromate	A(inh), D(oral), K/L(inh), CBD(oral)

· **TLV (Threshold Limit Value)**

CAS: 7789-00-6	Potassium Chromate	AI
CAS: 7778-50-9	Potassium Dichromate	AI

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7789-00-6	Potassium Chromate
CAS: 7778-50-9	Potassium Dichromate

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

Potassium Chromate
Potassium Dichromate

· **Hazard statements**

Harmful if swallowed or if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May cause genetic defects.
May cause cancer.
May damage fertility or the unborn child.
May cause respiratory irritation.

· **Precautionary statements**

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
[In case of inadequate ventilation] wear respiratory protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
If on skin: Wash with plenty of water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/22/2021

Reviewed on 09/22/2021

Trade name: Acid Wash Color Std. #10
Prepared to ASTM D848-18

(Contd. of page 11)

Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 If experiencing respiratory symptoms: Call a poison center/doctor.
 Wash contaminated clothing before reuse.
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

- **Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

- **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
 Exceptions can be made by the authorities in certain cases.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

- **Contact:**

- **Date of preparation / last revision**

Revision 1.0, 08-12-2021: updated hazard information. STN

Creation date for SDS 07-31-2015. STN

09/22/2021 / -

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3