Printing date 06/04/2024

Reviewed on 06/04/2024

1 Identification


- · Product identifier
- Trade name: <u>Mixed ICP Stock 1,000 ppb ea:</u> Ce, Co, Li, Mg, Tl, Y in 2% HNO₃
- · Article number: GIN019
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc.

6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).


(Contd. on page 2)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃



· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

2000-2000-01000		
 Dangerous compo 	nents:	
CAS: 7697-37-2 1	Nitric Acid	2.2%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	97.798%
CAS: 13446-18-9	Magnesium Nitrate	0.001%
CAS: 554-13-2	Lithium Carbonate	0.001%
CAS: 16774-21-3	Ceric Ammonium Nitrate	0.0003%
CAS: 1314-36-9	Yttrium Oxide 99.99%	0.0001%
CAS: 7440-28-0	thallium	0.0001%
CAS: 7440-48-4	cobalt	0.0001%

4 First-aid measures

- \cdot Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor. • Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US -

Printing date 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

CAS: 7697-37-2 Nitric Acid	0.16 ppm
CAS: 13446-18-9 Magnesium Nitrate	16 mg/m ³
CAS: 554-13-2 Lithium Carbonate	3.1 mg/m ³
CAS: 16774-21-3 Ceric Ammonium Nitrate	1.2 mg/m ³
CAS: 1314-36-9 Yttrium Oxide 99.99%	3.8 mg/m ³
CAS: 7440-28-0 thallium	0.06 mg/m
CAS: 7440-48-4 cobalt	0.18 mg/m
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
CAS: 13446-18-9 Magnesium Nitrate	180 mg/m
CAS: 554-13-2 Lithium Carbonate	34 mg/m ³
CAS: 16774-21-3 Ceric Ammonium Nitrate	13 mg/m ³
CAS: 1314-36-9 Yttrium Oxide 99.99%	43 mg/m ³
CAS: 7440-28-0 thallium	3.3 mg/m ³
CAS: 7440-48-4 cobalt	2 mg/m ³
PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm

(Contd. of page 2)

Reviewed on 06/04/2024

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

		(Contd. of page 3)
CAS: 13446-18-9	Magnesium Nitrate	$1,100 \text{ mg/m}^3$
CAS: 554-13-2	Lithium Carbonate	210 mg/m ³
CAS: 16774-21-3	Ceric Ammonium Nitrate	79 mg/m ³
CAS: 1314-36-9	Yttrium Oxide 99.99%	260 mg/m ³
CAS: 7440-28-0	thallium	20 mg/m ³
CAS: 7440-48-4	cobalt	20 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

		(Contd. of page
· Density at 20 °C (68 °F):	1.01206 g/cm ³ (8.44564 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
\cdot Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	97.8 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 136 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

(Contd. on page 7)

⁻ US

2B

R

Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

(Contd. of page 6) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 7440-48-4 cobalt

· NTP (National Toxicology Program)

CAS: 7440-48-4 cobalt

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- \cdot Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Not hazardous for water.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not regulated	

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

	(Contd. of page
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	e Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

ļ

*

· Section 355 (extre	mely hazardous substances):	
CAS: 7697-37-2	Nitric Acid	
• Section 313 (Spec	ific toxic chemical listings):	
CAS: 7697-37-2	Nitric Acid	
CAS: 13446-18-9	Magnesium Nitrate	
CAS: 554-13-2	Lithium Carbonate	
CAS: 16774-21-3	Ceric Ammonium Nitrate	
CAS: 7440-28-0	thallium	
CAS: 7440-48-4	cobalt	
• TSCA (Toxic Sub	stances Control Act):	
Water		ACTIVE
Nitric Acid		ACTIVE
Lithium Carbonat	0	ACTIVE
Ceric Ammonium	Nitrate	ACTIVE
Yttrium Oxide 99.	99%	ACTIVE
thallium		ACTIVE
cobalt		ACTIVE
· Hazardous Air Po	llutants	
CAS: 7440-48-4	cobalt	
· Proposition 65		
· Chemicals known	to cause cancer:	
CAS: 7440-48-4	cobalt	
· Chemicals known	to cause reproductive toxicity for females:	
None of the ingred	lients is listed.	
		(Contd. on page 9)
		US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

(Contd. of page 8)

Π

AЗ

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 554-13-2 Lithium Carbonate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 16774-21-3 Ceric Ammonium Nitrate

· TLV (Threshold Limit Value)

CAS: 7440-48-4 cobalt

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 10)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Mixed ICP Stock 1,000 ppb ea: Ce, Co, Li, Mg, Tl, Y in 2% HNO₃

	(Contd. of page
Date of preparation / last revision	
Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/04/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	