Printing date 08/12/2024

Reviewed on 08/12/2024

# 1 Identification

- · Product identifier
- Trade name: <u>Titration Solvent</u>
- Article number: ARK001
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

AQUA

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
  Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

# 2 Hazard(s) identification

\*

· Classification of the substance or m	ixture
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
GHS07	
UIIS07	
Skin Irritation 2	H315 Causes skin irritation.
<i>Eye Irritation 2A</i>	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Sing	gle Exposure 3 H336 May cause drowsiness or dizziness.
• Label elements • GHS label elements The product is o • Hazard pictograms	classified and labeled according to the Globally Harmonized System (GHS).
GHS02 GHS07 GHS08	
Signal word Danger	
• <b>Hazard-determining components of</b> Isopropanol Cyclohexane	f labeling:

(Contd. on page 2)

US

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Titration Solvent

(Contd. of page 1)
· Hazard statements
Highly flammable liquid and vapor.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = $3$
2 $0$ Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH *2 $H_{ealth} = *2$
FIRE 3 $Fire = 3$
<b>REACTIVITY</b> $0$ Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
· <b>PBT:</b> Not applicable.
• <b>vPvB:</b> Not applicable.
7. 72. 10. approved.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Titration Solvent

	(Co	ntd. of page 2)
· Dangerous components:		
CAS: 67-63-0	Isopropanol	81.873%
CAS: 110-82-7	Cyclohexane	16.27%
CAS: 1336-21-6	Ammonium Hydroxide	1.857%

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

-	tions, protective equipment and emergency procedures		
Wear protective equipment. Keep unprotected persons away.			
• Environmental <sub>F</sub>			
	duct to reach sewage system or any water course.		
Inform respective	e authorities in case of seepage into water course or sewage system.		
Dilute with plent			
	enter sewers/ surface or ground water.		
	terial for containment and cleaning up:		
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Dispose contami	nated material as waste according to section 13.		
Ensure adequate	ventilation.		
· Reference to oth	er sections		
See Section 7 for	information on safe handling.		
See Section 8 for information on personal protection equipment.			
See Section 13 fo	See Section 13 for disposal information.		
	n Criteria for Chemicals		
· PAC-1:			
CAS: 67-63-0	Isopropanol	400 ppm	
CAS: 110-82-7	Cyclohexane	300 ppm	
L	(Contd. on page 4)		

US

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Titration Solvent

		(Contd. of page 3)		
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm		
· PAC-2:	· PAC-2:			
CAS: 67-63-0	Isopropanol	2000* ppm		
CAS: 110-82-7	Cyclohexane	1700* ppm		
CAS: 1336-21-6	Ammonium Hydroxide	160 ppm		
· PAC-3:				
CAS: 67-63-0	Isopropanol	12000** ppm		
CAS: 110-82-7	Cyclohexane	10000** ppm		
CAS: 1336-21-6	Ammonium Hydroxide	1100 ppm		

# 7 Handling and storage

#### · Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS:	67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m³, 400 ppm
	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
CAS:	110-82-7 Cyclohexane
PEL	Long-term value: 1050 mg/m³, 300 ppm
REL	Long-term value: 1050 mg/m³, 300 ppm
·	(Contd. on page 5)

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Titration Solvent

	(Contd. of page 4)
	Long-term value: 100 ppm BEI
·Ingre	dients with biological limit values:
CAS:	67-63-0 Isopropanol
1	40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)
CAS:	110-82-7 Cyclohexane
1	NIC-50 mg/g creatinine LD50 Intraperitoneal: - Time: end of shift at end of workweek LD50: NIC-1.2-Cyclohexanediol (nonspecific)
· Addit	ional information: The lists that were valid during the creation were used as basis.
• Gener Keep Imme Wash Avoid • Breat In cas respir	<i>nal protective equipment:</i> <i>ral protective and hygienic measures:</i> <i>away from foodstuffs, beverages and feed.</i> <i>diately remove all soiled and contaminated clothing.</i> <i>hands before breaks and at the end of work.</i> <i>l contact with the eyes and skin.</i> <i>thing equipment:</i> <i>se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use</i> <i>ratory protective device that is independent of circulating air.</i> <i>ction of hands:</i>
	Protective gloves
Due t chemi Select • <b>Mater</b> The so varies the gl • <b>Penet</b> The e obser	love material has to be impermeable and resistant to the product/ the substance/ the preparation. o missing tests no recommendation to the glove material can be given for the product/ the preparation/ the ical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b> election of the suitable gloves does not only depend on the material, but also on further marks of quality and s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of love material can not be calculated in advance and has therefore to be checked prior to the application. <b>tration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has to be wed. <b>protection:</b>



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

US

Printing date 08/12/2024

\*

Trade name: Titration Solvent

Reviewed on 08/12/2024

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Characteristic Not determined.
Odor threshold:	
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	81 °C (177.8 °F)
Flash point:	-18 °C (-0.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	260 °C (500 °F)
<b>Decomposition temperature:</b>	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	104 hPa (78 mm Hg)
Density at 20 °C (68 °F):	0.78614 g/cm³ (6.56034 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b>pr):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	98.1%
VOC content:	98.14%
	771.5 g/l / 6.44 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 7)

<sup>-</sup> US

(Contd. of page 6)

3

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Titration Solvent

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 26,932 mg/kg

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

·NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Titration Solvent

(Contd. of page 7)

# **13 Disposal considerations**

#### · Waste treatment methods

#### · Recommendation:

\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Isopropanol , Cyclohexane)	
IMDG	FLAMMABLE LIQUID, N.O.S. (Isopropanol	
	, Cyclohexane, Ammonium Hydroxide	
IATA	), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (Isopropanol	
	, Cyclohexane)	
Transport hazard class(es)		
DOT		
PLAMANUE LOUD		
Class	3 Flammable liquids	
Label	3	
IMDG		
Class	3 Flammable liquids	
Label	3	
Class	3 Flammable liquids	
Label	3	
Packing group	II	

US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Titration Solvent

	(Contd. of page
· Environmental hazards:	Product contains environmentally hazardous substance. Cyclohexane
· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code).	: 33
EMS Number:	F-E,S-E
· Segregation groups	(SGG18) Alkalis
· Stowage Category	В
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
2 0	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities $(\widetilde{EQ})$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL , CYCLOHEXANE), 3, II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

ACTIVE
ACTIVE
ACTIVE
(Contd. on page 10)

Printing date 08/12/2024

Reviewed on 08/12/2024

#### Trade name: Titration Solvent

(Contd. of page 9)

Ι

A4

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 110-82-7 Cyclohexane

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

#### · Hazard-determining components of labeling: Isopropanol Cyclohexane Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. *If eve irritation persists: Get medical advice/attention.* In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

(Contd. on page 11)

<sup>-</sup> US

Printing date 08/12/2024

Reviewed on 08/12/2024

Trade name: Titration Solvent

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## <u>16 Other information</u>

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

#### · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 08-12-2024: Reviewed SDS for accuracy. STN/GW Revision 0.0, 05-29-2024: Creation date for SDS. STN 08/12/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard – Category 1 • \* Data compared to the previous version altered.

(Contd. of page 10)