٦

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/01/2024

\*

Reviewed on 07/01/2024

· Product identifier	
· Trade name: <u>1-Butanethiol</u> <u>1-Butanethiol</u>	
• Article number: B8105	
· CAS Number:	
109-79-5	
• EC number: 203-705-3	AQUA   Solutions
· Details of the supplier of the safety data she	eet
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	
DEER PARK, TX 77536	
USA 800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions. • Emergency telephone number:	org
<i>Chemtrec: 800-424-9300</i>	
Canutec: 613-996-6666	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
$\mathbf{\mathbf{v}}$	H302 Harmful if swallowed. H315 Causes skin irritation.
Acute Toxicity - Oral 4 Skin Irritation 2	
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expe	H315 Causes skin irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo - Label elements - GHS label elements The substance is classij	H315 Causes skin irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo - Label elements - GHS label elements The substance is classij	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo - Label elements - GHS label elements The substance is classig - Hazard pictograms	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo - Label elements - GHS label elements The substance is classij	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo Label elements GHS label elements The substance is classif Hazard pictograms	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo - Label elements - GHS label elements The substance is classig - Hazard pictograms	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.
Acute Toxicity - Oral 4 Skin Irritation 2 Specific Target Organ Toxicity - Single Expo Label elements GHS label elements The substance is classig Hazard pictograms GHS02 GHS07 • Signal word Danger	H315 Causes skin irritation. osure 3 H335 May cause respiratory irritation.

(Contd. on page 2)

*Printing date 07/01/2024* 

Trade name: 1-Butanethiol 1-Butanethiol

> • Identification number(s) • EC number: 203-705-3

Reviewed on 07/01/2024

(Contd. of page 1) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 11 Fire = 3FIRE 3 **REACTIVITY**  $\bigcirc$  *Reactivity* = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Substances · CAS No. Description CAS: 109-79-5 1-Butanethiol

(Contd. on page 3)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol

(Contd. of page 2)

#### 4 First-aid measures

#### • Description of first aid measures

- · General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- **PAC-1:** 4.5 ppm
- **PAC-2:** 50 ppm
- · PAC-3: 2,500 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- $\cdot$  Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

US

Printing date 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol Reviewed on 07/01/2024

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### CAS: 109-79-5 1-Butanethiol

PEL Long-term value: 35 mg/m<sup>3</sup>, 10 ppm

- REL Ceiling limit value: 1.8\* mg/m<sup>3</sup>, 0.5\* ppm \*15-min
- TLV Long-term value: 0.5 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol

(Contd. of page 4)

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Sulphurous
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-116 °C (-176.8 °F)
Boiling point/Boiling range:	98 °C (208.4 °F)
Flash point:	12 °C (53.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	40 hPa (30 mm Hg)
Density at 20 °C (68 °F):	0.84 g/cm³ (7.0098 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol Reviewed on 07/01/2024

(Contd. of page 5)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol

(Contd. of page 6)

# **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT, IMDG, IATA	UN2347
UN proper shipping name	
DOT	Butyl mercaptan
IMDG, IATA	BUTYL MERCAPTAN
Transport hazard class(es)	
DOT	
3	
Class	2 Elammable liquida
Label	3 Flammable liquids 3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F- $E$ , $S$ - $D$
Stowage Category	В
Segregation Code	SG35 Stow "separated from" SGG1-acids
	SG50 Segregation from foodstuffs as in 7.3.4.2.1, 7.6.3.1.2
	7.7.3.6.
	SG57 Stow "separated from" odour-absorbing cargoes
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

US

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: 1-Butanethiol 1-Butanethiol

	(Contd. of page 7
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2347 BUTYL MERCAPTAN, 3, II

### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger
Hazard statements
Highly flammable liquid and vapor.
Harmful if swallowed.
Causes skin irritation.
May cause respiratory irritation.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.

(Contd. on page 9)

US

Printing date 07/01/2024

Reviewed on 07/01/2024

#### Trade name: 1-Butanethiol 1-Butanethiol

(Contd. of page 8) Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2 06/27/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-14-2014. STN 07/01/2024 / 1.1
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3  $\cdot$  \* Data compared to the previous version altered.

US -