Printing date 05/21/2024

Reviewed on 05/21/2024

### **1 Identification**

- · Product identifier
- Trade name: <u>Buffer Solution</u> (High Level NH<sub>3</sub>)
- Article number: MOS014
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Warning
Hazard statements

Causes skin irritation.
Causes serious eye irritation.

Precautionary statements


Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.



Printing date 05/21/2024

Trade name: Buffer Solution (High Level NH<sub>3</sub>) Reviewed on 05/21/2024

(Contd. of page 1)



· vPvB: Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 6381-59-5	Potassium Sodium Tartrate Tetrahydrate	3.43%	
CAS: 1310-73-2	Sodium Hydroxide	0.931%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	93.717%	
CAS: 7558-79-4	Sodium Phosphate Dibasic Anhydrous	1.907%	
CAS: 9002-92-0	Polyoxyethylene 23 lauryl ether	0.015%	

# 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 05/21/2024

Trade name: Buffer Solution

· Advice for firefighters

· Protective equipment: No special measures required.

### **6** Accidental release measures

· Personal precau · Environmental p	tions, protective equipment and emergency procedures Not required.				
Dilute with plent					
	enter sewers/ surface or ground water.				
	terial for containment and cleaning up:				
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
· Reference to oth					
	information on safe handling.				
	information on personal protection equipment.				
	See Section 13 for disposal information.				
· Protective Action	ı Criteria for Chemicals				
· PAC-1:					
CAS: 6381-59-5	Potassium Sodium Tartrate Tetrahydrate	9 mg/m <sup>3</sup>			
CAS: 1310-73-2	Sodium Hydroxide	$0.5 \ mg/m^{3}$			
CAS: 9002-92-0	Polyoxyethylene 23 lauryl ether	2.9 mg/m <sup>3</sup>			
· PAC-2:					
CAS: 6381-59-5	Potassium Sodium Tartrate Tetrahydrate	99 mg/m <sup>3</sup>			
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m <sup>3</sup>			
CAS: 9002-92-0	Polyoxyethylene 23 lauryl ether	31 mg/m <sup>3</sup>			
· PAC-3:					
CAS: 6381-59-5	Potassium Sodium Tartrate Tetrahydrate	590 mg/m <sup>3</sup>			
CAS: 1310-73-2	Sodium Hydroxide	50 mg/m <sup>3</sup>			
CAS: 9002-92-0	Polyoxyethylene 23 lauryl ether	200 mg/m <sup>3</sup>			

# 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

(High Level NH<sub>3</sub>)

(Contd. of page 2)

Reviewed on 05/21/2024

US

Printing date 05/21/2024

#### Trade name: Buffer Solution (High Level NH<sub>3</sub>)

Reviewed on 05/21/2024

(Contd. of page 3)

· Control parameters

#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m<sup>3</sup>

REL Ceiling limit value: 2 mg/m<sup>3</sup>

TLV Ceiling limit value: 2 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic phy	sical and chemical properties	
· General Information	× ×	
· Appearance:		
Form:	Liquid	
Color:	Clear	

Printing date 05/21/2024

Reviewed on 05/21/2024

#### Trade name: Buffer Solution (High Level NH<sub>3</sub>)

		(Contd. of page
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0205 g/cm³ (8.51607 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	93.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	6.3 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

<sup>·</sup> Chemical stability

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Buffer Solution (High Level NH<sub>3</sub>)

(Contd. of page 5)

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 05/21/2024

Reviewed on 05/21/2024

#### Trade name: Buffer Solution (High Level NH<sub>3</sub>)

(Contd. of page 6)

· UN-Number		
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 $\cdot$  Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water	ACTIVE
Sodium Phosphate Dibasic Anhydrous	ACTIVE
Sodium Hydroxide	ACTIVE
Polyoxyethylene 23 lauryl ether	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 05/21/2024

Reviewed on 05/21/2024

Trade name: Buffer Solution (High Level NH<sub>3</sub>)

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard statements

Causes skin irritation. Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/21/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 04-30-2024: Creation date for SDS. STN 05/21/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

US

Printing date 05/21/2024

Trade name: Buffer Solution (High Level NH<sub>3</sub>) Reviewed on 05/21/2024

(Contd. of page 8)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A • \* Data compared to the previous version altered.