Printing date 06/04/2024

Reviewed on 06/04/2024

## **1** Identification

- · Product identifier
- Trade name: <u>Ammonium, Potassium & Sodium Formate</u> 0.5% each in 3:1 Ethylene Glycol/IPA
- · Article number: FIS047
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

### **2** Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Acute Toxicity - Oral 4H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.

Eye Irritation 2A

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Ethylene Glycol
Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

(Contd. of page 1) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Specific treatment (see on this label). If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH <sup>2</sup> Health = 2 FIRE Fire = 33 **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous com	ponents:	
CAS: 107-21-1	Ethylene Glycol	79.71%
CAS: 67-63-0	Isopropanol	18.79%
	zardous Ingredients	
	sodium formate	0.5%
CAS: 540-69-2	ammonium formate	0.5%
		(Contd. on page 3)

us –

(Contd. of page 2)

0.5%

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

CAS: 590-29-4 Potassium Formate

#### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

• <b>Personal precautions, protective equipment and emergency procedures</b> Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
• PAC-1:	
CAS: 107-21-1 Ethylene Glycol	30 ppm
CAS: 67-63-0 Isopropanol	400 ppm
	0.45 mg/m <sup>5</sup>
CAS: 141-53-7 sodium formate	0

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

	(Contd. of page 3)
CAS: 540-69-2 ammonium formate	$3.7 mg/m^3$
CAS: 590-29-4 Potassium Formate	9 mg/m <sup>3</sup>
· PAC-2:	
CAS: 107-21-1 Ethylene Glycol	150 ppm
CAS: 67-63-0 Isopropanol	2000* ppm
CAS: 141-53-7 sodium formate	4.9 mg/m <sup>3</sup>
CAS: 540-69-2 ammonium formate	41 mg/m <sup>3</sup>
CAS: 590-29-4 Potassium Formate	99 mg/m <sup>3</sup>
• PAC-3:	
CAS: 107-21-1 Ethylene Glycol	900 ppm
CAS: 67-63-0 Isopropanol	12000** ppm
CAS: 141-53-7 sodium formate	30 mg/m <sup>3</sup>
CAS: 540-69-2 ammonium formate	240 mg/m <sup>3</sup>
CAS: 590-29-4 Potassium Formate	600 mg/m <sup>3</sup>

### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 107-21-1 Ethylene Glycol

*TLV* Short-term value: 10\*\* mg/m<sup>3</sup>, 50\* ppm Long-term value: 25\* ppm

\*vapor fraction: \*\*inh. fraction, aerosol only, A4

WEEL I(2)

CAS: 67-63-0 Isopropanol

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

(Contd. on page 5)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

	(Contd. of page 4)
REL Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm	, <b></b>
Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
TLV Short-term value: 400 ppm	
Long-term value: 200 ppm	
BEI, A4	
· Ingredients with biological limit values:	
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L	
LD50 Intraperitoneal: urine	
Time: end of shift at end of workweek	
LD50: Acetone (background, nonspecific)	
$\cdot$ Additional information: The lists that were valid during the creation were used as basis.	
• Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin.	
• Breathing equipment: Not required.	

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 06/04/2024

\*

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

(Contd. of page 5)

· Information on basic physical and c	hemical properties
· General Information	
· Appearance: Form:	· · · ·
Form: Color:	Liquid Clear
· Odor:	Alcohol
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	410 °C (770 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	2 Vol %
Upper:	53 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	18.8 %
VOC content:	18.79 %
	187.9 g/l / 1.57 lb/gal
Solids content:	1.5 %
• Other information	No further relevant information available.

(Contd. on page 7)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

(Contd. of page 6)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 627 mg/kg

#### · Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

3

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

(Contd. of page 7)

• Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Isopropanol
	)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol )
· Transport hazard class(es)	
·DOT	
· Class	3 Flammable liquids
· Class · Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
	5
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code	
· EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
· Stowage Category	В
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

	(Contd. of page
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
-	), <i>3</i> , <i>II</i>

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

	emely hazardous substances):	
None of the ingrea	dients is listed.	
· Section 313 (Spec	cific toxic chemical listings):	
CAS: 107-21-1 E	thylene Glycol	
CAS: 67-63-0 Is	sopropanol	
· TSCA (Toxic Sub	ostances Control Act):	
Ethylene Glycol		ACTIVE
Isopropanol		ACTIVE
sodium formate		ACTIVE
ammonium forma	te	ACTIVE
Potassium Formate		ACTIVE
· Hazardous Air Po	ollutants	
CAS: 107-21-1 E	thylene Glycol	
· Proposition 65		
· Chemicals known	i to cause cancer:	
None of the ingrea	dients is listed.	
· Chemicals known	n to cause reproductive toxicity for females:	
None of the ingrea	dients is listed.	
· Chemicals known	to cause reproductive toxicity for males:	
None of the ingred	dients is listed.	
· Chemicals known	ı to cause developmental toxicity:	
CAS: 107-21-1 E	thylene Glycol	
· Carcinogenic cat	egories	
· EPA (Environme	ntal Protection Agency)	
None of the ingred	dients is listed.	
		(Contd. on page 10)

(Contd. on page 10)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

(Contd. of page 9)

• TLV (Threshold Limit Value) CAS: 107-21-1 Ethylene Glycol A4CAS: 67-63-0 Isopropanol A4· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: Ethylene Glycol · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Specific treatment (see on this label). If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 11)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

# Trade name: Ammonium, Potassium & Sodium Formate 0.5% each in 3:1 Ethylene Glycol/IPA

	(Contd. of page 10)
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/04/2024	
• Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic	
· · · · · · · · · · · · · · · · · · ·	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
• * Data compared to the previous version altered.	
Dum compurca to the previous version anerea.	110
	US