Printing date 06/04/2024

Reviewed on 06/04/2024

1 Identification

- · Product identifier
- Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227
- · Article number: CMS008

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Aqua Solutions, Inc.
6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Classification of the substance or mixture
 GHS02 Flame
 Flammable Liquids 2
 H225 Highly flammable liquid and vapor.
 GHS07
 Skin Irritation 2
 H315 Causes skin irritation.
 Eye Irritation 2A
 H319 Causes serious eye irritation.
 Specific Target Organ Toxicity - Single Exposure 3
 H336 May cause drowsiness or dizziness.
 Label elements
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).



GHS02 GHS07

· Signal word Danger

- Hazard-determining components of labeling: Isopropanol
- Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

⁻ U

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2024

*

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

	(Contd. of page 1)
May cause drowsiness or dizziness.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wa	ter/shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present and easy to do
Continue rinsing.	ij preseni una easy io ao.
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	regulations.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
\mathbf{C} U Reactivity = 0	
HMR antimer (control A)	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 3 Fire = 3	
$\begin{array}{c} \text{REACTIVITY} \\ \hline \end{array} Reactivity = 0 \end{array}$	
· Other hazards	
\cdot Results of PBT and vPvB assessment	
• <i>PBT</i> : Not applicable.	
• vPvB : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
· Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 67-63-0 Isopropanol	85.56%

Dungerous components.		
CAS: 67-63-0	Isopropanol	85.56%
CAS: 7761-88-8	Silver Nitrate	2.097%
	(Contd	. on page 3)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

(Contd. of page 2)

12.343%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

	tions, protective equipment and emergency procedures equipment. Keep unprotected persons away.	
Environmental p		
-	duct to reach sewage system or any water course.	
Inform respective	e authorities in case of seepage into water course or sewage system.	
Dilute with plent	y of water.	
Do not allow to e	enter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
Reference to oth		
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
Protective Action	n Criteria for Chemicals	
PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7761-88-8	Silver Nitrate	0.047 mg/m ⁻
		(Contd. on page

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

· PAC-2:		(Contd. of page 3)
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7761-88-8	Silver Nitrate	0.9 mg/m ³
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7761-88-8	Silver Nitrate	$5.4 mg/m^3$

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
U	edients with biological limit values:
CAS	: 67-63-0 Isopropanol
BEI	40 mg/L LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
	(Contd. on page 5)
	US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

(Contd. of page 4) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

 Information on basic physical and e General Information 	chemical properties	
· Appearance:	¥ · · · 7	
Form:	Liquid	
Color:	Clear	
· Odor:	Alcohol	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	13 °C (55.4 °F)	

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

	(Contd. of page)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.83221 g/cm ³ (6.94479 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	85.6 %
Water:	12.3 %
VOC content:	85.56 %
	712.0 g/l / 5.94 lb/gal
Solids content:	2.1 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

(Contd. of page 6)

3

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 2,384 mg/kg (mouse)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

(Contd. of page 7)

· Uncleaned packagings:

Printing date 06/04/2024

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	
DOT	
RAMABLE LOUD	
3	
· Class	3 Flammable liquids
· Label	3
IMDG, IATA	
3	
- Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
	1101 uppituote.
Transport/Additional information:	
DOT Overstite limitetions	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

	(Contd. of page 3
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

15 Regulatory information

*

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
CAS: 7761-88-8 Silver Nitrate	
TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVI
Water	ACTIVI
Silver Nitrate	ACTIVI
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for fer	males:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for me	ales:
None of the ingredients is listed.	
None of the ingredients is listed. Chemicals known to cause developmental toxicity:	
Chemicals known to cause developmental toxicity: None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories EPA (Environmental Protection Agency)	
Chemicals known to cause developmental toxicity: None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: None of the ingredients is listed. Carcinogenic categories EPA (Environmental Protection Agency) None of the ingredients is listed.	A

(Contd. on page 10)

⁻ US -

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

(Contd. of page 9) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: Isopropanol · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN

06/04/2024

(Contd. on page 11)

^{.....}

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Silver Nitrate 0.1 N in IPA NIST Traceable ASTM D3227

	(Contd. of page 10)
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
\cdot * Data compared to the previous version altered.	
	US