

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

1 Identification

- **Product identifier**
- **Trade name:** 0.5 mg/L 12 Component Mixed Metal Working Solution
- **Article number:** SGS066
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Hydrochloric Acid
- **Hazard statements**
Causes severe skin burns and eye damage.
- **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 1)

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7647-01-0	Hydrochloric Acid	2.351%
----------------	-------------------	--------

· **Table of Nonhazardous Ingredients**

CAS: 12007-60-2	Lithium Tetraborate, Reagent	0.359%
CAS: 87-69-4	L-Tartaric Acid	0.249%
CAS: 7789-24-4	Lithium Fluoride	0.0399%
CAS: 7697-37-2	Nitric Acid	0.0025%
CAS: 7784-27-2	Aluminum Nitrate	0.000696%
CAS: 13446-18-9	Magnesium Nitrate	0.000528%
CAS: 7782-61-8	Ferric Nitrate	0.000362%
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.000317%
CAS: 7722-76-1	Ammonium Phosphate Monobasic	0.000186%
CAS: 7631-99-4	Sodium Nitrate	0.000181%
CAS: 7757-79-1	Potassium Nitrate	0.00013%
CAS: 471-34-1	Calcium Carbonate	0.000121%
CAS: 7732-18-5	Water	96.9959%

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-I:**

CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	4.3 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m ³
CAS: 7789-24-4	Lithium Fluoride	10 mg/m ³
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m ³
CAS: 13446-18-9	Magnesium Nitrate	16 mg/m ³
CAS: 7782-61-8	Ferric Nitrate	22 mg/m ³
CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m ³
CAS: 7722-76-1	Ammonium Phosphate Monobasic	17 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	9 mg/m ³
CAS: 471-34-1	Calcium Carbonate	45 mg/m ³
CAS: 1314-62-1	Vanadium Pentoxide Reagent	0.64 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 3)

CAS: 10099-74-8	Lead Nitrate	0.24 mg/m ³
CAS: 7440-66-6	Zinc Metal	6 mg/m ³
CAS: 7440-02-0	Nickel Metal	4.5 mg/m ³
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	47 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	17 mg/m ³
CAS: 7789-24-4	Lithium Fluoride	110 mg/m ³
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m ³
CAS: 13446-18-9	Magnesium Nitrate	180 mg/m ³
CAS: 7782-61-8	Ferric Nitrate	110 mg/m ³
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m ³
CAS: 7722-76-1	Ammonium Phosphate Monobasic	190 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	100 mg/m ³
CAS: 471-34-1	Calcium Carbonate	210 mg/m ³
CAS: 1314-62-1	Vanadium Pentoxide Reagent	7 mg/m ³
CAS: 10099-74-8	Lead Nitrate	180 mg/m ³
CAS: 7440-66-6	Zinc Metal	21 mg/m ³
CAS: 7440-02-0	Nickel Metal	50 mg/m ³
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 12007-60-2	Lithium Tetraborate, Reagent	280 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	100 mg/m ³
CAS: 7789-24-4	Lithium Fluoride	680 mg/m ³
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7784-27-2	Aluminum Nitrate	5,500 mg/m ³
CAS: 13446-18-9	Magnesium Nitrate	1,100 mg/m ³
CAS: 7782-61-8	Ferric Nitrate	640 mg/m ³
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m ³
CAS: 7722-76-1	Ammonium Phosphate Monobasic	1,100 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	270 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	600 mg/m ³
CAS: 471-34-1	Calcium Carbonate	1,300 mg/m ³
CAS: 1314-62-1	Vanadium Pentoxide Reagent	70 mg/m ³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m ³
CAS: 7440-66-6	Zinc Metal	120 mg/m ³
CAS: 7440-02-0	Nickel Metal	99 mg/m ³

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 4)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7647-01-0 Hydrochloric Acid

NIOSH RECOMMENDED EXP LIMIT	Ceiling limit value: 7.0 mg/m ³ mg/m ³
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 5)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Clear to pale green
Odor:	Odorless
Odor threshold:	Not determined.

- **pH-value at 20 °C (68 °F):** <2

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

- **Density at 20 °C (68 °F):** 1.00373 g/cm³ (8.37613 lbs/gal)

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 6)

· **Solvent content:**

Water: 97.0 %
VOC content: 0.00 %
 0.0 g/l / 0.00 lb/gal

· **Solids content:**

0.6 %

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Strong caustic effect on skin and mucous membranes.

· **on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7789-24-4	Lithium Fluoride	3
CAS: 1314-62-1	Vanadium Pentoxide Reagent	2B
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-02-0	Nickel Metal	2B

· **NTP (National Toxicology Program)**

CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-02-0	Nickel Metal	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 7)


12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Not hazardous for water.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | UN2693 |
| · DOT, IMDG, IATA | |
| · UN proper shipping name | Bisulfites, aqueous solutions, n.o.s. (Hydrochloric acid) |
| · DOT | BISULPHITES, AQUEOUS SOLUTION, N.O.S. (HYDROCHLORIC ACID) |
| · IMDG, IATA | |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 Corrosive substances |

(Contd. on page 9)

US

Safety Data Sheet


acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 8)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG35 Stow "separated from" acids.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable.	
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2693 BISULPHITES, AQUEOUS SOLUTION, N.O.S. (HYDROCHLORIC ACID), 8, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2	Nitric Acid
CAS: 1314-62-1	Vanadium Pentoxide Reagent

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2	Nitric Acid
CAS: 7784-27-2	Aluminum Nitrate
CAS: 13446-18-9	Magnesium Nitrate
CAS: 7782-61-8	Ferric Nitrate

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 9)

CAS: 7757-79-1	Potassium Nitrate
CAS: 1314-62-1	Vanadium Pentoxide Reagent
CAS: 10099-74-8	Lead Nitrate
CAS: 7440-66-6	Zinc Metal
CAS: 7440-02-0	Nickel Metal

· TSCA (Toxic Substances Control Act):

Hydrochloric Acid	ACTIVE
Lithium Tetraborate, Reagent	ACTIVE
L-Tartaric Acid	ACTIVE
Lithium Fluoride	ACTIVE
Nitric Acid	ACTIVE
Ammonium hexafluorosilicate	ACTIVE
Ammonium Phosphate Monobasic	ACTIVE
Sodium Nitrate	ACTIVE
Potassium Nitrate	ACTIVE
Calcium Carbonate	ACTIVE
Vanadium Pentoxide Reagent	ACTIVE
Lead Nitrate	ACTIVE
Zinc Metal	ACTIVE
Nickel Metal	ACTIVE
Water	ACTIVE

· Hazardous Air Pollutants

CAS: 7647-01-0	Hydrochloric Acid
CAS: 10099-74-8	Lead Nitrate

· Proposition 65

· Chemicals known to cause cancer:

CAS: 1314-62-1	Vanadium Pentoxide Reagent
CAS: 10099-74-8	Lead Nitrate
CAS: 7440-02-0	Nickel Metal

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 12007-60-2	Lithium Tetraborate, Reagent	I (oral)
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-66-6	Zinc Metal	D, I, II

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7789-24-4	Lithium Fluoride	A4
----------------	------------------	----

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 10)

CAS: 1314-62-1	Vanadium Pentoxide Reagent	A3
CAS: 10099-74-8	Lead Nitrate	A3
CAS: 7440-02-0	Nickel Metal	A5

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7440-02-0	Nickel Metal
----------------	--------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Hydrochloric Acid

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.0, 03-19-2019: Creation date for SDS. STN

03/20/2019 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/20/2019

Reviewed on 06/29/2018

**Trade name: 0.5 mg/L 12 Component
Mixed Metal Working Solution**

(Contd. of page 11)

*HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Corr. 1A: Skin corrosion/irritation – Category 1A**Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

US