Printing date 06/04/2024

Reviewed on 06/04/2024

#### **1** Identification

- · Product identifier
- Trade name: <u>Methylene Blue TS</u>
- · Article number: 5775
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666*

### 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 1

H224 Extremely flammable liquid and vapor.

GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Methanol
Hazard statements Extremely flammable liquid and vapor. May cause damage to the central nervous system and the visual organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

(Contd. on page 2)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

	(Contd. of page 1
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin v	vith water/shower.
IF exposed or concerned: Call a poison center/doctor.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/intern	ational regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1 Fire = 3 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 1 Health = $1$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> Reactivity = $0$	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
vPvB: Not applicable.	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	89.955%	
CAS: 67-56-1	Methanol	4.998%	
CAS: 67-63-0	Isopropanol	4.998%	
· Table of Nonhazardous Ingredients			
CAS: 7220-79	-3 Methylene Blue	0.05%	

### 4 First-aid measures

 $\cdot$  Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol CAS: 67-63-0 Isopropanol · PAC-2: CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol CAS: 67-63-0 Isopropanol DAC 2

• PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

#### 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

1,800 ppm

530 ppm

400 ppm

3300\* ppm

2,100 ppm

2000\* ppm

(Contd. of page 2)

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Methylene Blue TS

Open and handle receptacle with care.

(Contd. of page 3)

Prevent formation of aerosols.
Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle. Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:			
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof			
PEL Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
REL Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
TLV Short-term value: 1000 ppm			
A3			
CAS: 67-56-1 Methanol			
PEL Long-term value: 260 mg/m <sup>3</sup> , 200 ppm			
REL Short-term value: 325 mg/m³, 250 ppm			
Long-term value: 260 mg/m <sup>3</sup> , 200 ppm			
Skin			
TLV Short-term value: 250 ppm			
Long-term value: 200 ppm Skin: BEI			
CAS: 67-63-0 Isopropanol			
PEL Long-term value: 980 mg/m <sup>3</sup> , 400 ppm			
REL Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm			
Long-term value: 980 mg/m <sup>3</sup> , 400 ppm			
TLV Short-term value: 400 ppm			
Long-term value: 200 ppm			
BEI, A4			
· Ingredients with biological limit values:			
CAS: 67-56-1 Methanol			
BEI 15 mg/L			
LD50 Intraperitoneal: urine			
Time: end of shift			
LD50: Methanol (background, nonspecific)			
	(Contd. on page 5)		

(Contd. of page 4)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

#### CAS: 67-63-0 Isopropanol

BEI 40 mg/L

LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

#### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### 9 Physical and chemical properties

- $\cdot$  Information on basic physical and chemical properties
- General Information

• Appearance:		
Form:	Liquid	
Color:	Blue	
· Odor:	Alcohol	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	

(Contd. on page 6)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

	(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. <35 °C (<95 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower: Upper:	3.5 Vol % 19 Vol %
Vapor pressure at 20 °C (68 °F): Vapor pressure at 50 °C (122 °F):	59 hPa (44.3 mm Hg) 280 hPa (210 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.78934 g/cm <sup>3</sup> (6.58704 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	100.0 % 99.95 % 788.9 g/l / 6.58 lb/gal
Solids content:	90.0 %
Other information	No further relevant information available.

### **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

#### Trade name: Methylene Blue TS

(Contd. of page 6)

· Acute toxic		cicological effects
· LD/LC50 v	values the	at are relevant for classification:
ATE (Acut	e Toxicit	ty Estimate)
Oral	LD50	2,001 mg/kg
Dermal	LD50	6,003 mg/kg
Inhalative	LC50/4h	a 60 mg/l
The produce • <b>Carcinoge</b>	ct shows i nic categ	gical information: the following dangers according to internally approved calculation methods for preparation cories al Agency for Research on Cancer)
CAS: 64-17	7-5 Et	thyl Alcohol, Absolute 200 Proof
CAS: 67-6.	3-0 Isa	opropanol
CAS: 7220	-79-3 M	lethylene Blue
· NTP (Natio	onal Tox	cicology Program)
	inaradi	ents is listed.

### **12** Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 06/04/2024

\*

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

(Contd. of page 7)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Elammahla liquida y o a (Estanol Mathanal Jaannan al
<i>D01</i>	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropand)
Transport hazard class(es)	
DOT	
P.AMIABLE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids 33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	Ε
Transport in bulk according to Annex II of	NT / 1' 11
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Organity limitations	On passanger giveraft/rail: 11
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG	· · · · · · · · · · · · · · · · · · ·
Limited quantities (LQ)	0

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL, METHANOL, ISOPROPANOL ), 3, II

## 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
· TSCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Methanol	ACTIVE
Isopropanol	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 64-17-5 Ethyl Alcohol Absolute 200 Proof	

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

US

A3 A4

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Methylene Blue TS

	(Contd. of page
Hazard pictograms	
GHS02 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Methanol	
Hazard statements	
Extremely flammable liquid and vapor.	
May cause damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	r.
IF exposed or concerned: Call a poison center/doctor.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ns.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- Department issuing SDS: Environment protection department.
  Contact: Date of Preparation / Last Revision:
  Date of preparation / last revision Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/04/2024
  Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

(Contd. on page 11)

Printing date 06/04/2024

Reviewed on 06/04/2024

## Trade name: Methylene Blue TS

(Contd. of page 10)

US

	(C01
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 1: Flammable liquids – Category 1	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
* Data compared to the previous version altered.	
······· · · · · · · · · · · · · · · ·	