# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

\*

Reviewed on 06/05/2024

I Identification            • Product identifier             • Trade name: Hydrochloric Acid 12% v/r Aqueoss Solution             • Article number: SPX607             • Details of the supplier of the safety data sheet             • Manufacturer/Supplier:         Aque Solutions, Inc.             øgua Solutions, Inc.             Shar Cordinator             Shin Corrosion IA             Shin Corrosion IA             Bils Cou	Identification	
<ul> <li>Product identifier</li> <li>Trade name: Hydrochloric Acid 12% v/v Aqueous Solution</li> <li>Article number: SPX607</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc.</li> <li>6913 Highway 225</li> <li>DEER PARK, TX 77336</li> <li>USA 800-256-2586</li> <li>Information department: Technical Coordinator Sherman Nelson shermann@ aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300</li> <li>Canutec: 613-996-6666</li> </ul> 2 Hazard(s) identification 6 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. <i>GHS05 Corrosion</i> 5 Kin Corrosion 1A Kin Corrosion 1A H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. GHS04 elements GHS05 the product is classified and labeled according to the Globally Harmonized System (GHS)		
<ul> <li>Trade name: Hydrochloric Acid 12% v/v Aqueous Solution</li> <li>Article number: SPX607</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA</li> <li>800-256-2586</li> <li>Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Import of the substance or mixture</li> <li>Impo</li></ul>		
Aqueous Solution         • Article number: SPX607         • Details of the supplier of the safety data sheet         • Manufacturer/Supplier:         Aqua Solutions, Inc.         6913 Highway 225         DEER PARK, TX 77536         USA         800-256-2586         • Information department:         Technical Coordinator         Sherman Nelson sherman@aquasolutions.org         • Emergency telephone number:         Chemtrec: 800-424-9300         Canutec: 613-996-6666         2         Parad (s) identification         • Classification of the substance or mixture         Image: GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolongeor repeated exposure.         Image: GHS05 Corrosion         Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         H318 Causes serious eye damage.         Label elements         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	·	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586</li> <li>Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture Of Sherman of the substance or mixture Of Sherman Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion IA Eye Damage 1</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS0at I causified and labeled according to the Globally Harmonized System (GHS)</li> </ul>		
<ul> <li>Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586</li> <li>Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture of HS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>	Article number: SPX607	
Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 2 Hazard(s) identification • Classification of the substance or mixture $\widehat{V}$ GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. $\widehat{V}$ GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS	Details of the supplier of the safety data sheet	
6913 Highway 225       SOLUTIONS         DEER PARK, TX 77536       USA         800-256-2586       Information department:         Technical Coordinator       Sherman Nelson shermann@aquasolutions.org         Sherman Nelson shermann@aquasolutions.org       Emergency telephone number:         Chemtrec: 800-424-9300       Canutec: 613-996-6666         2 Hazard(s) identification       Canutec: 613-996-6666         2 Hazard(s) identification       Classification of the substance or mixture         ✓       ✓         GHS08 Health hazard       Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.         ✓       ✓         ✓       ✓         GHS05 Corrosion       H314 Causes severe skin burns and eye damage.         Fye Damage 1       H318 Causes serious eye damage.         · Label elements       ·         · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)		
DEER PARK, TX 77536 USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. • GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS tabel elements The product is classified and labeled according to the Globally Harmonized System (GHS		SOLUTIONS
USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. • GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS		<b>UDECTIONS</b>
<ul> <li>Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org</li> <li>Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification <ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> </ul> </li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Damage 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>		
Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         • Emergency telephone number:         Chemtrec: 800-424-9300         Canutec: 613-996-6666         2 <b>2</b> Hazard(s) identification         • Classification of the substance or mixture         • GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2         H314 Causes damage to organs through prolonged repeated exposure.         • GHS05 Corrosion         Skin Corrosion 1A         Eye Damage 1         H318 Causes series with burns and eye damage.         • Label elements         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	800-256-2586	
Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Of the substance or		
<ul> <li>Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture of GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>		
Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Office Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. • GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS		
Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Classification of the substance or mixture • GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure. • GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS		
<ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Damage 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>		
<ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Damage 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>		
<ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Damage 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>	Hazard(s) identification	
GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2         H373 May cause damage to organs through prolonged repeated exposure.         GHS05 Corrosion         Skin Corrosion 1A         Eye Damage 1         H318 Causes serious eye damage.         H318 Causes serious eye damage.         GHS05 Label elements         GHS05 Label elements		
Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H314 Causes severe.         Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       H318 Causes serious eye damage.         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	Classification of the substance or mixture	
Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged repeated exposure.         Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       H318 Causes serious eye damage.         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)		
repeated exposure.         Figure GHS05 Corrosion         Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	GHS08 Health hazard	
repeated exposure.         Figure GHS05 Corrosion         Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)		
Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         · Label elements       GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	Specific Target Organ Toxicity - Repeated Exposure	
Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)		repeatea exposure.
Skin Corrosion 1A       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         • Label elements       GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)		
Eye Damage 1       H318 Causes serious eye damage.         • Label elements       • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	GHS05 Corrosion	
Eye Damage 1       H318 Causes serious eye damage.         • Label elements       • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)	$\mathbf{\vee}$	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> </ul>	Skin Corrosion 1A	
· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS	Eye Damage 1	H318 Causes serious eye damage.
· Hazard pictograms		<i>ibeled according to the Globally Harmonized System (GHS).</i>
	Hazard pictograms	
GHS05 GHS08	GHS05 GHS08	
· Signal word Danger	Signal word Danger	
•		
• Hazard-determining components of labeling: Hydrochloric Acid		
· Hazard statements		
	Causes severe skin burns and eye damage.	
Causes severe skin burns and eye damage.		repeated exposure.
May cause damage to organs through prolonged or repeated exposure.		
May cause damage to organs through prolonged or repeated exposure. • Precautionary statements	Precautionary statements	
May cause damage to organs through prolonged or repeated exposure.	<b>Precautionary statements</b> Do not breathe dusts or mists.	

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 1) Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH <sup>\*3</sup> Health = \*3 FIRE 0 Fire = 0Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: CAS: 7647-01-0 Hydrochloric Acid 13.861%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

## 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

86.139%

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 2)

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures		
Mount respiratory protective device.		
Wear protective equipment. Keep unprotected persons away.		
· Environmental precautions:		
Dilute with plenty of water.		
Do not allow to enter sewers/ surface or ground water.		
• Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Use neutralizing agent.		
Dispose contaminated material as waste according to section 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information.		
· Protective Action Criteria for Chemicals		
· PAC-1:		
CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm		
· PAC-2:		
CAS: 7647-01-0 Hydrochloric Acid 22 ppm		
· PAC-3:		
CAS: 7647-01-0 Hydrochloric Acid 100 ppm		

### 7 Handling and storage

· Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:	<b>x</b> · · · <b>i</b>	
Form: Color:	Liquid	
Odor:	Clear water white Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0216 g/cm <sup>3</sup> (8.52525 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	86.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 5)

Solids content:

0.0~%

· Other information

No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 6)

### $\cdot$ Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

UN-Number	111/200
· DOT, IMDG, IATA	UN1789
· UN proper shipping name	
· DOT	Hydrochloric acid solution
· IMDG, IATA	HYDROCHLORIC ACID solution
• Transport hazard class(es)	
DOT	
CORROSIVE ©	
Class	8 Corrosive substances
· Label	8
IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
Packing group	
DOT, IMDG, IATA	Π
Environmental hazards:	Not applicable.
	Warning: Corrosive substances

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

	(Contd. of page 7)
· Hazard identification number (Kemler code)	: 80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	С
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
~ .	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

\*

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

Hydrochloric Acid

· Hazardous Air Pollutants

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE ACTIVE

<sup>–</sup> US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

(Contd. of page 8)

•	Carcinogenic	categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling:

Hydrochloric Acid

· Hazard statements

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

- Date of preparation / last revision
- Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN 06/05/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

<sup>-</sup> US

9)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

Reviewed on 06/05/2024

# Trade name: Hydrochloric Acid 12% v/v Aqueous Solution

	(Contd. of page 9
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
* Data compared to the previous version altered.	