Printing date 08/16/2024

Reviewed on 08/16/2024



Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name:	1-Amino-2-Napthol-4-Sulfonic
	Acid Solution 2.5 gpL

Signal word Danger	
Hazard-determining components of labeling:	
Sodium Bisulfite	
Hazard statements	
Causes skin irritation.	
Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses	s, if present and easy to do
Continue rinsing.	
Dispose of contents/container in accordance with local/regional/national/international	al regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 0	
1 0 Reactivity = 0	
Kedeuvily – 0	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 1 $Health = l$	
FIRE 0 Fire = 0	
<b>REACTIVITY</b> $0$ Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<i>vPvB</i> : Not applicable.	
Composition/information on ingredients	
Chemical characterization: Mixtures	

Description: Mix	ture of the substances listed below with nonhazarabus dualitons.	
• Dangerous comp	ponents:	
CAS: 7631-90-5	Sodium Bisulfite	12.897%
v	ardous Ingredients	
CAS: 7732-18-5	Water	86.454%
CAS: 7757-83-7	Sodium Sulfite Anhydrous	0.433%
CAS: 116-63-2	1-Amino 2-Napthol 4-Sulfonic Acid, Reagent A.C.S.	0.216%

(Contd. on page 3)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

#### Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

(Contd. of page 2)

## 4 First-aid measures

- Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

Mount respiratory protective device.Wear protective equipment. Keep unprotected persons away.Environmental precautions:Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Use neutralizing agent.Dispose contaminated material as waste according to section 13.Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.Protective Action Criteria for Chemicals· PAC-1:CAS: 7631-90-5Sodium BisulfiteCAS: 7631-90-5Sodium Bisulfite Anhydrous11 mg/m <sup>3</sup> · PAC-2:CAS: 7631-90-5Sodium Bisulfite16 ppm	-	tions, protective equipment and emergency procedures	
<ul> <li>Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.</li> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> <li>PAC-1: CAS: 7631-90-5 Sodium Bisulfite</li> <li>I5 mg/m<sup>3</sup></li> <li>PAC-2:</li> </ul>	1		
Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.• Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.• Protective Action Criteria for Chemicals• PAC-1: CAS: 7631-90-5CAS: 7757-83-7Sodium Bisulfite11 mg/m³	Wear protective e	equipment. Keep unprotected persons away.	
Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7631-90-5 Sodium Bisulfite CAS: 7757-83-7 Sodium Sulfite Anhydrous • PAC-2:	• Environmental p	recautions:	
<ul> <li>Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.</li> <li>Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> <li>CAS: 7631-90-5 Sodium Bisulfite</li> <li>CAS: 7757-83-7 Sodium Sulfite Anhydrous</li> <li>I1 mg/m<sup>3</sup></li> </ul>	Dilute with plent	v of water.	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Use neutralizing agent.Dispose contaminated material as waste according to section 13.Ensure adequate ventilation.• Reference to other sectionsSee Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.• Protective Action Criteria for Chemicals• PAC-1:CAS: 7631-90-5Sodium Bisulfite15 mg/m³• PAC-2:	Do not allow to e	nter sewers/ surface or ground water.	
Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. <b>Reference to other sections</b> See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. <b>Protective Action Criteria for Chemicals</b> <b>PAC-1:</b> CAS: 7631-90-5 Sodium Bisulfite CAS: 7757-83-7 Sodium Sulfite Anhydrous <b>PAC-2:</b>	• Methods and ma	terial for containment and cleaning up:	
Dispose contaminated material as waste according to section 13.Ensure adequate ventilation. <b>Reference to other sections</b> See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.• Protective Action Criteria for Chemicals• PAC-1: CAS: 7631-90-5CAS: 7631-90-5Sodium Bisulfite15 mg/m³• PAC-2:	Absorb with liqui	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Ensure adequate ventilation.         • Reference to other sections         See Section 7 for information on safe handling.         See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:	Use neutralizing	agent.	
Ensure adequate ventilation.         • Reference to other sections         See Section 7 for information on safe handling.         See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:	Dispose contami	nated material as waste according to section 13.	
See Section 7 for information on safe handling.         See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         • CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:       I1 mg/m <sup>3</sup>			
See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:	· Reference to oth	er sections	
See Section 13 for disposal information.         Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:	See Section 7 for	information on safe handling.	
• Protective Action Criteria for Chemicals         • PAC-1:         CAS: 7631-90-5       Sodium Bisulfite         CAS: 7757-83-7       Sodium Sulfite Anhydrous         • PAC-2:       I1 mg/m <sup>3</sup>	See Section 8 for	information on personal protection equipment.	
• PAC-1:       CAS: 7631-90-5       Sodium Bisulfite       15 mg/m <sup>3</sup> CAS: 7757-83-7       Sodium Sulfite Anhydrous       11 mg/m <sup>3</sup> • PAC-2:       Image: Solit Soli	See Section 13 fo	r disposal information.	
CAS: 7631-90-5       Sodium Bisulfite       15 mg/m³         CAS: 7757-83-7       Sodium Sulfite Anhydrous       11 mg/m³         • PAC-2:       -	· Protective Action	n Criteria for Chemicals	
CAS: 7757-83-7       Sodium Sulfite Anhydrous       11 mg/m <sup>3</sup> • PAC-2:	· PAC-1:		
· PAC-2:	CAS: 7631-90-5	Sodium Bisulfite	15 mg/m <sup>3</sup>
	CAS: 7757-83-7	Sodium Sulfite Anhydrous	11 mg/m <sup>3</sup>
CAS: 7631-90-5 Sodium Bisulfite 16 ppm	· PAC-2:		
	CAS: 7631-90-5	Sodium Bisulfite	16 ppm
(Contd. on page 4)			(Contd. on page 4)

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

CAS: 7757-83-7 Sodium Sulfite Anhydrous	(Contd. of page 3) <i>120 mg/m<sup>3</sup></i>
· PAC-3:	
CAS: 7631-90-5 Sodium Bisulfite	93 ppm
CAS: 7757-83-7 Sodium Sulfite Anhydrous	710 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

· Precautions for safe handling

*Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.* 

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7631-90-5 Sodium Bisulfite

REL Long-term value: 5 mg/m<sup>3</sup>

TLV Long-term value: 5 mg/m<sup>3</sup>

A4

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

(Contd. on page 5)

<sup>–</sup> US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Form: Color:	Liquid
Color:	Liquid
	Liquid
Odor	Yellow-orange
0.0011	Distinct
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.0438 g/cm <sup>3</sup> (8.71051 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.

- US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	86.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	13.5 %	
· Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization:

- Sensitization possible through inhalation.
- Sensitization possible through skin contact.

#### • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7631-90-5 Sodium Bisulfite

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US -

3

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

(Contd. of page 6)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

117		1. 0		
	ranspo	ort inte	ormati	nn
	anspo		or man	un

· UN-Number	Net menulated	
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not regulated	
• Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, ĬMDĠ, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
	(0	Contd. on page

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

Printing date 08/16/2024

(Contd. of page 7)

A4

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

• UN "Model Regulation": Not regulated

**15 Regulatory information** 

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

WaterACTIVESodium BisulfiteACTIVESodium Sulfite AnhydrousACTIVE1-Amino 2-Napthol 4-Sulfonic Acid, Reagent A.C.S.ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

CAS: 7631-90-5 Sodium Bisulfite

 $\cdot$  NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9) US

Printing date 08/16/2024

Reviewed on 08/16/2024

Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

	(Contd. of page
Hazard pictograms	
$\wedge$ $\wedge$	
GHS05 GHS08	
01305 01508	
Signal word Danger	
Hazard-determining components of labeling:	
Sodium Bisulfite	
Hazard statements	
Causes skin irritation.	
Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves / eye protection / face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to a
Continue rinsing.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: *Date of Preparation / Last Revision:* • Date of preparation / last revision Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW 08/16/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

(Contd. on page 10)

US

Printing date 08/16/2024

Reviewed on 08/16/2024

#### Trade name: 1-Amino-2-Napthol-4-Sulfonic Acid Solution 2.5 gpL

(Contd. of page 9)

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irritation 2: Skin corrosion/irritation - Category 2
Eye Damage 1: Serious eye damage/eye irritation - Category 1
Sensitization - Respiratory 1: Respiratory sensitisation - Category 1
Sensitization - Skin 1: Skin sensitisation - Category 1
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1
\* Data compared to the previous version altered.