Printing date 06/05/2024

\*

Reviewed on 06/05/2024

Identification	
Product identifier	
Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon	
Article number: DC738	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture GHS02 Flame	11225 Hisbly flammable liquid and you on
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H331 Toxic if inhaled.</li> <li>H370 Causes damage to the central nervous system an the visual organs.</li> </ul>
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H331 Toxic if inhaled.</li> <li>H370 Causes damage to the central nervous system an the visual organs.</li> <li>H372 Causes damage to organs through prolonged or the visual prolonged prol</li></ul>
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 Specific Target Organ Toxicity - Repeated Exposure	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H331 Toxic if inhaled.</li> <li>H370 Causes damage to the central nervous system an the visual organs.</li> <li>H372 Causes damage to organs through prolonged or the visual prolonged prolonge</li></ul>

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 1) · Hazard pictograms GHS02 GHS06 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Iodine \*DEA regulated item · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes damage to the central nervous system and the visual organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 2)

98.503%

1.497%

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE
$$3$$
Fire = 3REACTIVITY $0$ Reactivity =

Fire = 3Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 7553-56-2 Iodine \*DEA regulated item

# **4** First-aid measures

#### · Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

#### Reviewed on 06/05/2024

#### Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals

Trolective Action	n Crueria jor Chemicais	
· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.1 ppm
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.5 ppm
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 7553-56-2	Iodine *DEA regulated item	5 ppm

#### 7 Handling and storage

#### · Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Iodine 0.1 N in MEOH

for Propenyl Test in Ucon

(Contd. of page 4)

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

$\cdot$ Components with limit values that require monitoring at the workplace:			
CAS: 67-56-1 Methanol			
PEL Long-term value: 260 mg/m <sup>3</sup> , 200 ppm			
REL Short-term value: 325 mg/m <sup>3</sup> , 250 ppm			
Long-term value: 260 mg/m <sup>3</sup> , 200 ppm			
Skin			
TLV Short-term value: 250 ppm			
Long-term value: 200 ppm Skin; BEI			
CAS: 7553-56-2 Iodine *DEA regulated item			
PEL Ceiling limit value: 1 mg/m <sup>3</sup> , 0.1 ppm			
REL Ceiling limit value: 1 mg/m <sup>3</sup> , 0.1 ppm			
TLV Long-term value: 0.01* mg/m <sup>3</sup> , 0.01* ppm			
*inh. fraction+vapor; Skin, A4			
· Ingredients with biological limit values:			
CAS: 67-56-1 Methanol			
BEI 15 mg/L			
LD50 Intraperitoneal: urine			
Time: end of shift LD50: Methanol (background, nonspecific)			
• Additional information: The lists that were valid during the creation were used as basis.			
Exposure controls			
· Personal protective equipment:			
• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.			
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.			
Wash hands before breaks and at the end of work.			
Store protective clothing separately.			
Avoid contact with the skin.			
Avoid contact with the eyes and skin.			
· Breathing equipment:			
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer expression respiratory protective device that is independent of circulating air.	osure use		
· Protection of hands:			
Protective gloves			
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.			

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 5)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical proper	ties
Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Dark brown
Odor:	Alcohol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.80157 g/cm <sup>3</sup> (6.6891 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

Printing date 06/05/2024

Reviewed on 06/05/2024

## Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

		(Contd. of page
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octand	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	98.5 %	
VOC content:	98.50 %	
	789.6 g/l / 6.59 lb/gal	
Solids content:	1.5 %	
• Other information	No further relevant information available.	

# **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

(	2	
Oral	LD50	101 mg/kg
		303 mg/kg
Inhalative	LC50/4h	2.96 mg/l

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 8)

US ·

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 7)

# · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
$\cdot DOT$	Flammable liquids, n.o.s. (Methanol)	
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
· Transport hazard class(es)		
·DOT		
3		
· Class	3 Flammable liquids	

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

	(Contd. of pag
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	
EMS Number: Stowage Category	F-E, <u>S-E</u> B
0 0 0	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-56-1 Methanol
- · TSCA (Toxic Substances Control Act):
- Methanol
- Iodine \*DEA regulated item
- · Hazardous Air Pollutants
- CAS: 67-56-1 Methanol

(Contd. on page 10)

ACTIVE

ACTIVE

US

Printing date 06/05/2024

#### Reviewed on 06/05/2024

#### Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 9)

A4

#### · Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7553-56-2 Iodine \*DEA regulated item

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Methanol Iodine \*DEA regulated item · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes damage to the central nervous system and the visual organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth.

(Contd. on page 11)

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 10)

US

		(Conta. o
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	IF exposed: Call a POISON CENTER or doctor/physician.	
	Call a poison center/doctor if you feel unwell.	
	Get medical advice/attention if you feel unwell.	
	Take off immediately all contaminated clothing and wash it before reuse.	
	If skin irritation occurs: Get medical advice/attention.	
	In case of fire: Use CO2, powder or water spray to extinguish.	
	Store in a well-ventilated place. Keep container tightly closed.	
	Store in a well-ventilated place. Keep cool.	
	Store locked up.	
	Dispose of contents/container in accordance with local/regional/national/international regulation	ıs.
•	Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

\*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
06/05/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2 Austa Taninita, Oral 2: Austa taninita, Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3 Shin Imitation 2: Shin comparing firmitation – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2 Specific Target Organ Taxiain, Single Exposure 1: Specific target organ taxiaity (single exposure), Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 Specific Target Organ Toxicity - Beneated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1	
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Categor	ry 1
* Data compared to the previous version altered.	