Printing date 06/10/2024

*

Reviewed on 06/10/2024

Product identifier	
• Trade name: <u>Diphenylcarbazone-Xylene</u> Cyanole Solution APHA for Chlorid	
• Article number: 2900	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance on minture	
• Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS05 Corrosion	
GHS05 Corrosion Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion	
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and label	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and label	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and le Hazard pictograms	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and label	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and le Hazard pictograms	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and le Hazard pictograms GHS02 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling:	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and le Hazard pictograms GHS02 GHS05 GHS07 Signal word Danger	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

(Contd. of page 1)
· Hazard statements
Highly flammable liquid and vapor.
Causes severe skin burns and eye damage.
May cause drowsiness or dizziness.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPÅ ratings (scale 0 - 4)
Health = 3
Fire = 3
3 O Reactivity = 0
· HMIS-ratings (scale 0 - 4)
FIRE 3 Fire = 3
REACTIVITY 0 Reactivity = 0
· Other hazards Provide of PPT and vPvP accessment
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

0 1		
CAS: 67-63-0	Isopropanol	95.72%
CAS: 7697-37-2	Nitric Acid	4.0%
	(Contd	. on page 3)

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 2)

0.25%

0.03%

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

• Table of Nonhazardous Ingredients

CAS: 538-62-5 1,5-diphenylcarbazone

CAS: 2650-17-1 Xylene Cyanole FF (C.I. 42135), Indicator and Biological Stain

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precau	tions, protective equipment and emergency procedures	
-	y protective device.	
-	equipment. Keep unprotected persons away.	
· Environmental p	recautions:	
Dilute with plent	y of water.	
Do not allow to e	nter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
Absorb with liqu	<i>id-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
		(Contd. on page 4)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

		(Contd. of page 3)
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7697-37-2	Nitric Acid	92 ppm

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
CAS:	: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4
	(Contd. on page 5)
	- US

Printing date 06/10/2024

*

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

(Contd. of page 4)

	intu. or page -
Ingredients with biological limit values:	
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L	
LD50 Intraperitoneal: urine	
Time: end of shift at end of workweek	
LD50: Acetone (background, nonspecific)	
Additional information: The lists that were valid during the creation were used as basis.	
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer e	xposure u
respiratory protective device that is independent of circulating air.	
Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the prep	
chemical mixture.	nadation
Selection of the glove material on consideration of the penetration times, rates of diffusion and the deg <i>Material of gloves</i>	radation
The selection of the suitable gloves does not only depend on the material, but also on further marks of	^c auality a
varies from manufacturer to manufacturer. As the product is a preparation of several substances, the r	
the glove material can not be calculated in advance and has therefore to be checked prior to the applic	
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protective gloves an	nd has to
observed.	
Eye protection:	
Tightly sealed goggles	
Body protection: Protective work clothing	

	ysical and chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Blue-Green	
Odor:	Alcohol-like	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

	(Contd. of page
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	<2
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-89.5 °C (-129.1 °F) 82 °C (179.6 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower: Upper:	2 Vol % 12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	0.8122 g/cm ³ (6.77781 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	2.43 mPas Not determined.
· Solvent content: Organic solvents: VOC content:	95.7 % 95.72 % 777.4 g/l / 6.49 lb/gal
Solids content:	0.3 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

(Contd. of page 6)

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 75 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

3

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

(Contd. of page 7)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2924
· UN proper shipping name · DOT	Flammable liquids, corrosive, n.o.s. (Isopropanol
· IMDG, IATA	, Nitric Acid) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol , Nitric Acid)
· Transport hazard class(es)	
·DOT	
FINIARE CORROSVE	
· Class · Label	3 Flammable liquids 3, 8
· IMDG	5, 0
· Class	3 Flammable liquids
·Label	3/8
·IATA	
· Class	3 Flammable liquids
· Label	3 (8)
· Packing group	II

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

	(Contd. of page
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler cod	le): 338
· EMS Number:	F-E,S-C
· Segregation groups	(SGG1) Acids
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities $(\widetilde{E}Q)$	Code: E2
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S
0	(ISOPROPANOL
	, NITRIC ACID), 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

·	Sara
---	------

*

Surv		
· Section 355 (extremely hazardous substances):		
CAS: 7697-37-2	Nitric Acid	
· Section 313 (Spe	ecific toxic chemical listings):	
CAS: 67-63-0	Isopropanol	
CAS: 7697-37-2 Nitric Acid		
· TSCA (Toxic Su	bstances Control Act):	
Isopropanol		ACTIVE
Nitric Acid		ACTIVE
1,5-diphenylcarbazone		ACTIVE
Xylene Cyanole FF (C.I. 42135), Indicator and Biological Stain		ACTIVE
· Hazardous Air F	Pollutants	
None of the ingredients is listed.		
· Proposition 65		
· Chemicals know	n to cause cancer:	
None of the ingre	edients is listed.	
		(Contd. on page 10)
		US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

(Contd. of page 9)

A4

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Isopropanol Nitric Acid · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 11)

Printing date 06/10/2024

Trade name: Diphenylcarbazone-Xylene Cyanole Solution APHA for Chloride

(Contd. of page 10)

Reviewed on 06/10/2024

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/10/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.