Printing date 06/05/2024

\*

\*

Reviewed on 05/15/2024

<ul> <li>Product identifier</li> <li>Trade name: <u>Hydrochloric Acid</u> <u>Sver Notation</u></li> <li>Article number: 12551</li> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the safety data sheet</li> <li>Manufacturer/Supplier: Agua Solutions, Inc.</li> <li>Optimiss, Proceeding of the substance or misture</li> <li>Allog Causes series sevene skin burns and eye damage.</li> <li>Optimiss, Proceeding of the substance or misture</li> <li>Allog Causes series explicit or product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Haurd priotensens</li> <li>Op</li></ul>	1 Identification	
5% vb Solution         • Article number: H2251         • Details of the supplier of the safety data sheet         • Manufacturer/Supplier:         Agua Solutions, Inc.         6913 Highway 225         DEER PARK, TX 77536         USA         800-256-2586         • Information department:         Technical Coordinator         Sherman Nelson shermann@ aquasolutions.org         • Technical Stop Adversion         Canute: 613-996-6666         2 Hazard(s) identification         • Classification of the substance or mixture         • Stop         • Stop         GHS05 Corrosion         Star for corsion 1A         H314 Causes severe skin burns and eye damage.         • Specific Target Organ Toxicity - Single Exposure 3         H319 Causes serious eye irritation.         Specific Target Organ Toxicity - Single Exposure 3         H319 Causes serious eye irritation.         Specific Target Organ Toxicity - Single Exposure 3         H3	· Product identifier	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier:</li> <li>Aqua Solutions. Inc.</li> <li>Apida Solutions.</li> <li>Apida Solutions.</li> <li>DEER PARK, TX 77536</li> <li>USA</li> <li>B00-256-2586</li> <li>Information degraduasolutions.org</li> <li>Technical Coordinator</li> <li>Sherman Nelson shermann@aquasolutions.org</li> <li>Tenergency telephone number:</li> <li>Charter: 800-424-9300</li> <li>Canates: 613-996-6666</li> </ul> 2 Harzard(s) identification Charter: 800-424-9300 Canates: 613-996-6666 2 Harzard(s) identification Shermer Nelson shermann@aquasolutions.org Emergence telephone number: Charter: 800-424-9300 Canates: 613-996-6666 2 Harzard(s) identification Sherman Nelson shermann@aquasolutions.org Charter: 800-424-9300 Canates: 613-996-6666 2 Harzard(s) identification Sherman Nelson shermann@aquasolutions.org Emergence Velephone number: Charter: 800-424-9300 Canates: 613-996-6666 2 Harzard(s) identification Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure. Sin Corrosion IA H314 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. Specific Target Organ Toxicit		
<ul> <li>Manufacturer/Supplier: Agua Solutions, Inc. 6913 Highway 225 DEER PARK, IX 77336 USA 800-256-2586</li> <li>Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org</li> <li>Energency telephone number: Chemtre: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Chemtre: 613-996-6666</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Work</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>Work</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion IA</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>Work</li> <li>GHS07</li> <li>Eye Irritation 2A</li> <li>H319 Causes serious eye irritation.</li> <li>Specific Target Organ Toxicity - Single Exposure 3</li> <li>H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>Hazard pictograms</li> <li>Work</li> <li>Work</li> <li>GHS05</li> <li>GHS07</li> <li>Eye Instation Sherments The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Huzard pictograms</li> <li>GHS05</li> <li>GHS07</li> <li>GHS08</li> <li>GHS07</li> <li>GHS09</li> <li>GHS</li></ul>	• Article number: H2651	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-990-6666 2 Hazard(s) identification • Classification of the substance or mixture	Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA	AQUA SOLUTIONS
<ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> <li>Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>GHS05 Corrosion</li> <li>Skin Corrosion 1A</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>GHS07</li> <li>Eye Irritation 2A</li> <li>Specific Target Organ Toxicity - Single Exposure 3</li> <li>H319 Causes serious eye irritation.</li> <li>Specific Target Organ Toxicity - Single Exposure 3</li> <li>H319 Causes serious eye irritation.</li> <li>Specific Target Organ Toxicity - Single Exposure 3</li> <li>H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS OF</li> <li>GHS05 GHS07</li> <li>Hazard pictograms</li> <li>GHS07 GHS08</li> <li>Signal word Danger</li> </ul>	Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org • <b>Emergency telephone number:</b> Chemtrec: 800-424-9300	
GHS08 Health hazard         Specific Target Organ Toxicity - Repeated Exposure 2       H373 May cause damage to organs through prolonged or repeated exposure.         Image: Comparison of the prolong		
repeated exposure.		
Skin Corrosion 1AH314 Causes severe skin burns and eye damage. $\overbrace{O}$ <td>Specific Target Organ Toxicity - Repeated Exposure 2</td> <td></td>	Specific Target Organ Toxicity - Repeated Exposure 2	
<ul> <li><i>Eye Irritation 2A</i> Specific Target Organ Toxicity - Single Exposure 3</li> <li><i>Label elements</i></li> <li><i>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</i></li> <li><i>Hazard pictograms</i></li> <li><i>GHS05</i> GHS07 GHS08</li> <li><i>Signal word Danger</i></li> </ul>	GHS05 Corrosion	
Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms • GHS05 GHS07 GHS08 • Signal word Danger	$\mathbf{A}$	H314 Causes severe skin burns and eye damage.
Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms • GHS05 GHS07 GHS08 • Signal word Danger		
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms</li> <li>GHS05 GHS07 GHS08</li> <li>Signal word Danger</li> </ul>		
· Signal word Danger	• Label elements • GHS label elements The product is classified and lab	
· Signal word Danger		
	· Signal word Danger	(Contd. on page 2)

Printing date 06/05/2024

Trade name: Hydrochloric Acid 5% v/v Solution Reviewed on 05/15/2024

(Contd. of page 1) · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements Causes severe skin burns and eye damage. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*3 FIRE 0 Fire = 0**REACTIVITY** O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7647-01-0 Hydrochloric Acid

(Contd. on page 3)

5.707%

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 2)

94.293%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### 4 First-aid measures

• Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm
· · ·	(Contd. on page 4)

Printing date 06/05/2024

Reviewed on 05/15/2024

(Contd. of page 3)

22 ppm

100 ppm

Trade name: Hydrochloric Acid 5% v/v Solution

· PAC-2:

CAS: 7647-01-0 Hydrochloric Acid

· PAC-3:

CAS: 7647-01-0 Hydrochloric Acid

# 7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

· Components with limit values that require monitoring at the workplace:	
CAS: 7647-01-0 Hydrochloric Acid	
NIOSH RECOMENDED EXP LIM	II Ceiling limit value: 7.0 mg/m3 mg/m3
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm
	A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

		(Contd. of page
Density at 20 °C (68 °F):	1.01959 g/cm³ (8.50848 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/	vater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	94.3 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1789	
· UN proper shipping name		
$\cdot DOT$	Hydrochloric acid solution	
· IMDG, IATA	HYDROCHLORIC ACID solution	

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

Printing date 06/05/2024

	(Contd. of page
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
A CONTRACTOR OF	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemler code):	
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1a) Strong acids
· Stowage Category	С
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities ( $\widetilde{EQ}$ )	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III

#### \*

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

	(Contd. of page 8
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
Hazardous Air Pollutants	· · · ·
CAS: 7647-01-0 Hydrochloric Acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 10)

Printing date 06/05/2024

Reviewed on 05/15/2024

Trade name: Hydrochloric Acid 5% v/v Solution

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision

Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN 06/05/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2  $\cdot$  \* Data compared to the previous version altered.

US -