

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

1 Identification

- **Product identifier**
- **Trade name:** HF Calibration Standard #1
(0.5 ppm)
- **Article number:** HON101
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Nitric Acid
- **Hazard statements**
Causes severe skin burns and eye damage.
- **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 1)

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2	Nitric Acid	<2.364%
----------------	-------------	---------

· **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	100.0%
CAS: 1336-21-6	Ammonium Hydroxide	<0.496%
CAS: 7784-27-2	Aluminum Nitrate	<0.007%
CAS: 10043-35-3	boric acid	<0.003%
CAS: 16919-19-0	Ammonium hexafluorosilicate	<0.003%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	<0.003%
CAS: 12060-08-1	scandium oxide	<0.002%
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	<0.002%
CAS: 7783-28-0	Ammonium Phosphate Dibasic	<0.002%
CAS: 7783-20-2	Ammonium Sulfate	<0.002%
CAS: 7631-99-4	Sodium Nitrate	<0.002%
CAS: 7757-79-1	Potassium Nitrate	<0.001%
CAS: 10099-74-8	Lead Nitrate	<0.001%
CAS: 7439-89-6	Iron Metal	<0.001%
CAS: 7439-95-4	Magnesium	<0.0005%
CAS: 7440-38-2	arsenic	<0.0005%
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	<0.001%

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 2)

Ammonium Hexafluorotitanate

<0.001%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m ³
CAS: 10043-35-3	boric acid	6 mg/m ³

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

**Trade name: HF Calibration Standard #1
(0.5 ppm)**

(Contd. of page 3)

CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m ³
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	12 mg/m ³
CAS: 12060-08-1	scandium oxide	30 mg/m ³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m ³
CAS: 7783-28-0	Ammonium Phosphate Dibasic	20 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	13 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	9 mg/m ³
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m ³
CAS: 7439-89-6	Iron Metal	3.2 mg/m ³
CAS: 7439-95-4	Magnesium	18 mg/m ³
CAS: 7440-38-2	arsenic	1.5 mg/m ³
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	2.8 mg/m ³

· PAC-2:

CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 1336-21-6	Ammonium Hydroxide	330 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m ³
CAS: 10043-35-3	boric acid	23 mg/m ³
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m ³
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m ³
CAS: 12060-08-1	scandium oxide	330 mg/m ³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m ³
CAS: 7783-28-0	Ammonium Phosphate Dibasic	210 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	140 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	100 mg/m ³
CAS: 10099-74-8	Lead Nitrate	180 mg/m ³
CAS: 7439-89-6	Iron Metal	35 mg/m ³
CAS: 7439-95-4	Magnesium	200 mg/m ³
CAS: 7440-38-2	arsenic	17 mg/m ³
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	30 mg/m ³

· PAC-3:

CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 1336-21-6	Ammonium Hydroxide	2,300 ppm
CAS: 7784-27-2	Aluminum Nitrate	5,500 mg/m ³
CAS: 10043-35-3	boric acid	830 mg/m ³
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m ³
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m ³
CAS: 12060-08-1	scandium oxide	2,000 mg/m ³
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m ³
CAS: 7783-28-0	Ammonium Phosphate Dibasic	1,300 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	840 mg/m ³

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

**Trade name: HF Calibration Standard #1
(0.5 ppm)**

		(Contd. of page 4)
CAS: 7631-99-4	Sodium Nitrate	270 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	600 mg/m ³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m ³
CAS: 7439-89-6	Iron Metal	150 mg/m ³
CAS: 7439-95-4	Magnesium	1,200 mg/m ³
CAS: 7440-38-2	arsenic	100 mg/m ³
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	180 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 Nitric Acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 5)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** <2

· **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 6)

· Density at 20 °C (68 °F):	1.01031 g/cm ³ (8.43104 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with Water:	Fully miscible.
--	-----------------

· Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:	
Water:	100.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal

Solids content:	0.0 %
------------------------	-------

· Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Inhalative	LC50/4h	>127 mg/l
------------	---------	-----------

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

**Trade name: HF Calibration Standard #1
(0.5 ppm)**

(Contd. of page 7)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-38-2	arsenic	I

· **NTP (National Toxicology Program)**

CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-38-2	arsenic	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 7440-38-2	arsenic	
----------------	---------	--

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, IMDG, IATA**

UN3264

(Contd. on page 9)

US

Safety Data Sheet



acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 8)

<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA 	<p><i>Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)</i> CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	
	
<ul style="list-style-type: none"> · Class · Label 	<p><i>8 Corrosive substances</i> 8</p>
<ul style="list-style-type: none"> · IMDG, IATA 	
	
<ul style="list-style-type: none"> · Class · Label 	<p><i>8 Corrosive substances</i> 8</p>
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	<p><i>III</i></p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p><i>Not applicable.</i></p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Stowage Code 	<p><i>Warning: Corrosive substances</i> 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p><i>Not applicable.</i></p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	<p><i>On passenger aircraft/rail: 5 L</i> <i>On cargo aircraft only: 60 L</i></p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p><i>5L</i> <i>Code: E1</i> <i>Maximum net quantity per inner packaging: 30 ml</i> <i>Maximum net quantity per outer packaging: 1000 ml</i></p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p><i>UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III</i></p>

US

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

**Trade name: HF Calibration Standard #1
(0.5 ppm)**

(Contd. of page 9)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

CAS: 7697-37-2	Nitric Acid
----------------	-------------

· **Section 313 (Specific toxic chemical listings):**

CAS: 7697-37-2	Nitric Acid
----------------	-------------

CAS: 1336-21-6	Ammonium Hydroxide
----------------	--------------------

CAS: 7784-27-2	Aluminum Nitrate
----------------	------------------

CAS: 13477-34-4	Calcium Nitrate Tetrahydrate
-----------------	------------------------------

CAS: 7783-20-2	Ammonium Sulfate
----------------	------------------

CAS: 7757-79-1	Potassium Nitrate
----------------	-------------------

CAS: 10099-74-8	Lead Nitrate
-----------------	--------------

CAS: 7440-38-2	arsenic
----------------	---------

· **TSCA (Toxic Substances Control Act):**

Water	ACTIVE
-------	--------

Nitric Acid	ACTIVE
-------------	--------

Ammonium Hydroxide	ACTIVE
--------------------	--------

boric acid	ACTIVE
------------	--------

Ammonium hexafluorosilicate	ACTIVE
-----------------------------	--------

scandium oxide	ACTIVE
----------------	--------

Ammonium Phosphate Dibasic	ACTIVE
----------------------------	--------

Ammonium Sulfate	ACTIVE
------------------	--------

Sodium Nitrate	ACTIVE
----------------	--------

Potassium Nitrate	ACTIVE
-------------------	--------

Lead Nitrate	ACTIVE
--------------	--------

Iron Metal	ACTIVE
------------	--------

Magnesium	ACTIVE
-----------	--------

arsenic	ACTIVE
---------	--------

· **Hazardous Air Pollutants**

CAS: 10099-74-8	Lead Nitrate
-----------------	--------------

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 10099-74-8	Lead Nitrate
-----------------	--------------

CAS: 7440-38-2	arsenic
----------------	---------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 11)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

Trade name: HF Calibration Standard #1
(0.5 ppm)

(Contd. of page 10)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 10043-35-3	boric acid	I (oral)
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-38-2	arsenic	A

· **TLV (Threshold Limit Value)**

CAS: 10043-35-3	boric acid	A4
CAS: 10099-74-8	Lead Nitrate	A3
CAS: 7440-38-2	arsenic	A1

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7440-38-2	arsenic
----------------	---------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Nitric Acid

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/09/2023

Reviewed on 05/09/2023

**Trade name: HF Calibration Standard #1
(0.5 ppm)**

(Contd. of page 11)

· **Date of preparation / last revision**

Revision 1.0 05/09/2023, reviewed SDS for accuracy. STN
05/09/2023

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Eye Damage 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

US