Printing date 06/05/2024

\*

Reviewed on 06/05/2024

Identification	
Product identifier	
• Trade name: <u>Mercuric Acetate</u> In Methanol Solution	
Article number: BAS741	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture GHS02 Flame	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H300 Fatal if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2	H300 Fatal if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2	H300 Fatal if swallowed. H310 Fatal in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2	H300 Fatal if swallowed. H310 Fatal in contact with skin. H330 Fatal if inhaled.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	<ul> <li>H300 Fatal if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H330 Fatal if inhaled.</li> <li>H370 Causes damage to the central nervous system an the visual organs.</li> </ul>
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	<ul> <li>H300 Fatal if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H330 Fatal if inhaled.</li> <li>H370 Causes damage to the central nervous system an the visual organs.</li> <li>H373 May cause damage to organs through prolonged or the statement of the statement of the statement.</li> </ul>
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 2 Acute Toxicity - Dermal 2 Acute Toxicity - Inhalation 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 Specific Target Organ Toxicity - Repeated Exposure 2	<ul> <li>H300 Fatal if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H330 Fatal if inhaled.</li> <li>H370 Causes damage to the central nervous system and the visual organs.</li> <li>H373 May cause damage to organs through prolonged or the visual prolonged prol</li></ul>

Printing date 06/05/2024

Trade name: Mercuric Acetate In Methanol Solution Reviewed on 06/05/2024

(Contd. of page 1)



(Contd. on page 3)

Printing date 06/05/2024

Trade name: Mercuric Acetate In Methanol Solution Reviewed on 06/05/2024

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH\*3Health = 
$$*3$$
FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

\*

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-56-1	Methanol	93.248%	
CAS: 1600-27-7	Mercuric Acetate	6.545%	
CAS: 64-19-7	Acetic Acid, Glacial	0.207%	

### 4 First-aid measures

### · Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Mercuric Acetate

# In Methanol Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
  Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference** to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 1600-27-7	Mercuric Acetate	$0.048 mg/m^3$
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 1600-27-7	Mercuric Acetate	$0.064 mg/m^3$
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 1600-27-7	Mercuric Acetate	3.2 mg/m <sup>3</sup>
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Only handle and refill product in closed systems. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

(Contd. of page 3)

Printing date 06/05/2024

### Trade name: Mercuric Acetate

## In Methanol Solution

(Contd. of page 4)

Reviewed on 06/05/2024

• Fur	ther i	informatic	on abou	t store	age co	ondit	tions:	
Kee	p rec	eptacle tig	htly sea	led.				
~	•						,	

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.* 

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

# CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm

- Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin TLV Short-term value: 250 ppm
- Long-term value: 200 ppm Skin; BEI

### CAS: 64-19-7 Acetic Acid, Glacial

- PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- TLV Short-term value: 15 ppm Long-term value: 10 ppm

### · Ingredients with biological limit values:

### CAS: 67-56-1 Methanol

BEI 15 mg/L LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

IS -

Printing date 06/05/2024

Reviewed on 06/05/2024

### Trade name: Mercuric Acetate In Methanol Solution

(Contd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



· Auto igniting:

· Decomposition temperature:

· Ignition temperature:

· Danger of explosion:

• Explosion limits: Lower:

Tightly sealed goggles

· Body protection: Protective work clothing

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
• Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	64.4 °C (147.9 °F)	
Flash point:	11 °C (51.8 °F)	
· Flammability (solid, gaseous):	Highly flammable.	

455 °C (851 °F) Not determined.

Product is not selfigniting.

mixtures are possible.

5.5 Vol %

Product is not explosive. However, formation of explosive air/vapor

US

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Mercuric Acetate In Methanol Solution

		(Contd. of page 6)
Upper:	44 Vol %	
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
• Density at 20 °C (68 °F):	0.76393 g/cm <sup>3</sup> (6.375 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	93.5 %	
VOC content:	93.45 %	
	713.9 g/l / 5.96 lb/gal	
Solids content:	6.5 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

## ATE (Acute Toxicity Estimate)

Ora	l	LD50	44.6 mg/kg
Derr	mal	LD50	61.7 mg/kg
Inha	lative	LC50/4h	0.62 mg/l

### · Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: *Toxic* 

(Contd. on page 8)

US

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

Reviewed on 06/05/2024

#### Trade name: Mercuric Acetate In Methanol Solution

Irritant

Very toxic

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1992
· UN proper shipping name	
· DOT	Flammable liquids, toxic, n.o.s. (Methanol, Mercuric Acetate)
- IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Mercuric
	Acetate), MARINE POLLUTANT
IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (Methanol, Mercuric
	Acetate)

US

Printing date 06/05/2024

Trade name: Mercuric Acetate In Methanol Solution Reviewed on 06/05/2024

	(Contd. of page
Transport hazard class(es)	
DOT	
TOXIC 3	
Class Label	3 Flammable liquids 3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substance. Mercuric Acetate
Marine pollutant:	Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids 33 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on page 1

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: Mercuric Acetate In Methanol Solution

(Contd. of page 9)

ACTIVE

ACTIVE

ACTIVE

· UN "Model Regulation":

UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, MERCURIC ACETATE), 3 (6.1), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355	(extremely l	hazardous sul	bstances):

CAS: 1600-27-7 Mercuric Acetate

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

CAS: 1600-27-7 Mercuric Acetate

• TSCA (Toxic Substances Control Act): Methanol

Mercuric Acetate

Acetic Acid, Glacial

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

CAS: 1600-27-7 Mercuric Acetate

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

CAS: 1600-27-7 Mercuric Acetate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

Printing date 06/05/2024

In Methanol Solution

Trade name: Mercuric Acetate

Reviewed on 06/05/2024

(Contd. of page 10) · Hazard pictograms GHS02 GHS06 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Mercuric Acetate Acetic Acid. Glacial · Hazard statements Highly flammable liquid and vapor. Fatal if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction. Causes damage to the central nervous system and the visual organs. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. *Contaminated work clothing must not be allowed out of the workplace.* Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Get medical advice/attention if you feel unwell. Specific treatment is urgent (see on this label). Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)

Printing date 06/05/2024

Reviewed on 06/05/2024

# Trade name: Mercuric Acetate In Methanol Solution

	(Contd. of page 11)
Department issuing SDS: Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/05/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2 Agust Tariaity – Oral 2: Agusta tariaity – Category 2	
Acute Toxicity - Oral 2: Acute toxicity – Category 2 Sensitization - Skin 1: Skin sensitisation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
* Data compared to the previous version altered.	
· Data comparea to the previous version allered.	1