Printing date 06/06/2024

*

Reviewed on 06/06/2024

nting date 06/06/2024	Reviewed on 06/06/20.
Identification	
Product identifier	
Trade name: <u>Chloride Standard</u> 2.5 ppm w/w in Oil	
Article number: MOT195	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Carcinogenicity 1B H350 May cause cancer.	
GHS07	
Eve Irritation 24 H319 Causes serious eve irritation	
Eye Irritation 2A H319 Causes serious eye irritation.	
<i>Eye Irritation 2A</i> H319 Causes serious eye irritation. • Label elements • GHS label elements The product is classified and labeled ac • Hazard pictograms	cording to the Globally Harmonized System (GHS).
• Label elements • GHS label elements The product is classified and labeled ac	cording to the Globally Harmonized System (GHS).
• Label elements • GHS label elements The product is classified and labeled ac	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS07 GHS08	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS07 GHS08	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling:	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes serious eye irritation.	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms Image: GHS07 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes serious eye irritation. May cause cancer.	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled active Hazard pictograms Image: GHS07 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes serious eye irritation. May cause cancer. Precautionary statements	cording to the Globally Harmonized System (GHS).
Label elements GHS label elements The product is classified and labeled ac Hazard pictograms Image: GHS07 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes serious eye irritation. May cause cancer.	
Label elements GHS label elements The product is classified and labeled active Hazard pictograms Image: Comparison of the product of the product of the picture GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes serious eye irritation. May cause cancer. Precautionary statements Obtain special instructions before use.	d understood.

Printing date 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil Reviewed on 06/06/2024

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} 1\\ 2\\ 0\\ \end{array} \begin{array}{c} Health = 2\\ Fire = 1\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH*2Health = *2FIRE1Fire = 1REACTIVITY0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

 CAS: 8012-95-1
 Paraffin oils
 99.75%

 CAS: 64742-65-0
 Baseoil - unspecified
 0.249%

 • Table of Nonhazardous Ingredients
 0.001%

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil

(Contd. of page 2)

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:		
CAS: 64742-65-0	Baseoil - unspecified	140 mg/m ³
CAS: 95-50-1	1,2-dichlorobenzene	50 ppm
· PAC-2:		
CAS: 64742-65-0	Baseoil - unspecified	1,500 mg/m ³
CAS: 95-50-1	1,2-dichlorobenzene	170 ppm
· PAC-3:		
CAS: 64742-65-0	Baseoil - unspecified	8,900 mg/m ³
CAS: 95-50-1	1,2-dichlorobenzene	1,000 ppm

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 8012-95-1 Paraffin oils

PEL Long-term value: 5 mg/m³

REL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ oil mist

TLV L

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

⁻ US

Printing date 06/06/2024

Reviewed on 06/06/2024

(Contd. of page 4)

Trade name: Chloride Standard 2.5 ppm w/w in Oil

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and cl	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Odorless
• Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	310 °C (590 °F)
· Flash point:	168 °C (334.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	0.1 hPa
• Density at 20 °C (68 °F):	0.85801 g/cm ³ (7.16009 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	

Kinematic:Not determined.Solvent content:0.00 %
0.0 g/l / 0.00 lb/galSolids content:0.0 %Other informationNo further relevant information available.

(Contd. on page 6)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil

(Contd. of page 5)

3

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 95-50-1 1,2-dichlorobenzene

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

119

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not regulated	

15 Regulatory information

*

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 95-50-1 1,2-dichlorobenzene	
· TSCA (Toxic Substances Control Act):	
Paraffin oils	ACTIVE
Baseoil - unspecified	ACTIVE
1,2-dichlorobenzene	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
(Co	ontd. on page 8)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard

2.5 ppm w/w in Oil

(Contd. of page 7)

D

A4

• Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 95-50-1 1,2-dichlorobenzene

· TLV (Threshold Limit Value)

CAS: 95-50-1 1,2-dichlorobenzene

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Baseoil - unspecified

· Hazard statements

Causes serious eye irritation. May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous card

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chloride Standard 2.5 ppm w/w in Oil

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/06/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 1B: Carcinogenicity – Category 1B • * Data compared to the previous version altered.