Printing date 06/07/2024

\*

Reviewed on 06/07/2024

Identification	
Product identifier	
Trade name: <u>Chlorine Standard 1000 ug/g</u>	
in 75 cSt Oil	
Article number: 1796	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Cummee. 015-770-0000	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	
Carcinogenicity 2	H351 Suspected of causing cancer.
· · · · · · · · · · · · · · · · · · ·	
GHS07	
Skin Irritation 2	H315 Causes skin irritation.
Specific Target Organ Toxicity - Single Exposure	
Label elements	
	d labeled according to the Globally Harmonized System (GHS).
Hazard pictograms	
$\wedge \wedge$	
GHS07 GHS08	
Signal word Warning	
•	
Hazard-determining components of labeling: Baseoil - unspecified	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes skin irritation.	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes skin irritation. Suspected of causing cancer.	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes skin irritation. Suspected of causing cancer. May cause respiratory irritation.	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes skin irritation. Suspected of causing cancer. May cause respiratory irritation. Precautionary statements	
Hazard-determining components of labeling: Baseoil - unspecified Hazard statements Causes skin irritation. Suspected of causing cancer. May cause respiratory irritation.	een read and understood. (Contd. on page

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

	(Contd. of page 1)
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
If on skin, wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF INTALED. Remove person to fresh an and keep componable for breaking. IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a weil-ventitated place. Keep container rightly closed. Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
· Classification system:	•
· NFPA ratings (scale 0 - 4)	
A A A A A A A A A A A A A A A A A A A	
Health = 1	
Fire = 1	
<b>1 0</b> Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 1 $Health = 1$	
FIRE 1 Fire = 1	
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$	
REACTIVITY 0 REACTIVITY = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
· <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64742-65-0 Baseoil - unspecified

### · Table of Nonhazardous Ingredients

CAS: 95-50-1 1,2-dichlorobenzene

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

99.793%

0.207%

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64742-65-0	Baseoil - unspecified	140 mg/m <sup>3</sup>
CAS: 95-50-1	1,2-dichlorobenzene	50 ppm
· PAC-2:		
CAS: 64742-65-0	Baseoil - unspecified	1,500 mg/m <sup>3</sup>
CAS: 95-50-1	1,2-dichlorobenzene	170 ppm
· PAC-3:		
CAS: 64742-65-0	Baseoil - unspecified	8,900 mg/m <sup>3</sup>
CAS: 95-50-1	1,2-dichlorobenzene	1,000 ppm

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care.*
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

(Contd. of page 3)

• *Specific end use(s) No further relevant information available.* 

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the skin. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

	ysical and chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

	(Contd. of	f page
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	>600 °C (>1,112 °F)	
Flash point:	232 °C (449.6 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.86 g/cm <sup>3</sup> (7.1767 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	75 mPas	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: No further relevant information available.}$
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

(Contd. of page 5)

3

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 95-50-1 1,2-dichlorobenzene
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 06/07/2024

### Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

(Contd. of page 6)

4 Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not regulated	

## **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 95-50-1 1,2-dichlorobenzene

· TSCA (Toxic Substances Control Act):

Baseoil - unspecified

1,2-dichlorobenzene

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

ACTIVE

US

Printing date 06/07/2024

· Carcinogenic categories

\*

Reviewed on 06/07/2024

Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

(Contd. of page 7)

(Contd. on page 9)

US

· Carcinogenic calegories	
· EPA (Environmental Protection Agency)	
CAS: 95-50-1 1,2-dichlorobenzene	
TLV (Threshold Limit Value)	
CAS: 95-50-1 1,2-dichlorobenzene	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labeled according to the Globally Har • Hazard pictograms	monized System (GHS
GHS07 GHS08	
Signal word Warning	
Hazard-determining components of labeling:	
Baseoil - unspecified	
· Hazard statements	
Causes skin irritation.	
Suspected of causing cancer.	
May cause respiratory irritation.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
<i>IF exposed or concerned: Get medical advice/attention.</i>	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international r • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	egulations.
6 Other information	
This information is based on our present knowledge. However, this shall not constant specific product features and shall not establish a legally valid contractual relationship.	tute a guarantee for
· Department issuing SDS: Environment protection department.	
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 06/07/2024: Reviewed SDS for accuracy. MH/STN	
· · ·	(Contd. on pa

Printing date 06/07/2024

Reviewed on 06/07/2024

## Trade name: Chlorine Standard 1000 ug/g in 75 cSt Oil

	(Contd. of page
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/07/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	