

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

1 Identification

- **Product identifier**
- **Trade name:** 10.0 mg/L Elemental Standard
(Std #3)
- **Article number:** HON107
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes skin irritation.
Causes serious eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 1)

If eye irritation persists: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7647-01-0	Hydrochloric Acid	2.5%
----------------	-------------------	------

· Table of Nonhazardous Ingredients

CAS: 7697-37-2	Nitric Acid	0.296%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.00579%
CAS: 6834-92-0	Sodium Silicate, Meta	0.00473%
CAS: 7783-20-2	Ammonium Sulfate	0.00412%
CAS: 10099-74-8	Lead Nitrate	0.00157%
CAS: 7439-89-6	Iron Metal	0.001%
CAS: 7440-36-0	Antimony Metal	0.001%
CAS: 7440-38-2	arsenic	0.000989%
CAS: 7439-97-6	Mercury	0.000982%
CAS: 7439-95-4	Magnesium	0.000982%
CAS: 7732-18-5	Water	97.183%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	12 mg/m ³
CAS: 6834-92-0	Sodium Silicate, Meta	3.8 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	13 mg/m ³
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m ³
CAS: 7439-89-6	Iron Metal	3.2 mg/m ³
CAS: 7440-36-0	Antimony Metal	1.5 mg/m ³
CAS: 7440-38-2	arsenic	1.5 mg/m ³
CAS: 7439-97-6	Mercury	0.15 mg/m ³
CAS: 7439-95-4	Magnesium	18 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m ³

- **PAC-2:**

CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m ³
CAS: 6834-92-0	Sodium Silicate, Meta	42 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	140 mg/m ³
CAS: 10099-74-8	Lead Nitrate	180 mg/m ³
CAS: 7439-89-6	Iron Metal	35 mg/m ³
CAS: 7440-36-0	Antimony Metal	13 mg/m ³
CAS: 7440-38-2	arsenic	17 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 3)

CAS: 7439-97-6	Mercury	1.7 mg/m ³
CAS: 7439-95-4	Magnesium	200 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	17 mg/m ³
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m ³
CAS: 6834-92-0	Sodium Silicate, Meta	250 mg/m ³
CAS: 7783-20-2	Ammonium Sulfate	840 mg/m ³
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m ³
CAS: 7439-89-6	Iron Metal	150 mg/m ³
CAS: 7440-36-0	Antimony Metal	80 mg/m ³
CAS: 7440-38-2	arsenic	100 mg/m ³
CAS: 7439-97-6	Mercury	8.9 mg/m ³
CAS: 7439-95-4	Magnesium	1,200 mg/m ³
CAS: 87-69-4	L-Tartaric Acid	100 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7647-01-0 Hydrochloric Acid

NIOSH RECOMENDED EXP LIM	Ceiling limit value: 7.0 mg/m ³ mg/m ³
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 5)

· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.00583 g/cm ³ (8.39365 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	97.2 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 10099-74-8 Lead Nitrate

2A

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 6)

CAS: 7440-38-2	arsenic	I
CAS: 7439-97-6	Mercury	3
· NTP (National Toxicology Program)		
CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-38-2	arsenic	K
· OSHA-Ca (Occupational Safety & Health Administration)		
CAS: 7440-38-2	arsenic	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not regulated
· Packing group	
· DOT, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 7)

- | | |
|--|-----------------|
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not regulated |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2	Nitric Acid
----------------	-------------

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2	Nitric Acid
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate
CAS: 7783-20-2	Ammonium Sulfate
CAS: 10099-74-8	Lead Nitrate
CAS: 7440-36-0	Antimony Metal
CAS: 7440-38-2	arsenic
CAS: 7439-97-6	Mercury

· TSCA (Toxic Substances Control Act):

Hydrochloric Acid
Nitric Acid
Sodium Silicate, Meta
Ammonium Sulfate
Lead Nitrate
Iron Metal
Antimony Metal
arsenic
Mercury
Magnesium
L-Tartaric Acid
Water

· Proposition 65

· Chemicals known to cause cancer:

CAS: 10099-74-8	Lead Nitrate
CAS: 7440-38-2	arsenic

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 8)

· **Chemicals known to cause developmental toxicity:**

CAS: 7439-97-6	Mercury
----------------	---------

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-38-2	arsenic	A
CAS: 7439-97-6	Mercury	D

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 10099-74-8	Lead Nitrate	A3
CAS: 7440-38-2	arsenic	A1
CAS: 7439-97-6	Mercury	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7440-38-2	arsenic
----------------	---------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.0, 01-28-2019: Creation date for SDS. STN

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/28/2019

Reviewed on 01/28/2019

Trade name: 10.0 mg/L Elemental Standard
(Std #3)

(Contd. of page 9)

01/28/2019 / -

Abbreviations and acronyms:*IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

US