Printing date 06/05/2024

Reviewed on 06/05/2024

# 1 Identification

- · Product identifier
- Trade name: <u>NVP Mobile Phase</u> (0.2 um Filtered)
- · Article number: BAS771
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 2 H225 Highly flammable liquid and vapor.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



# Signal word Danger Hazard statements Highly flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Printing date 06/05/2024


Reviewed on 06/05/2024

Trade name: NVP Mobile Phase (0.2 um Filtered)

(Contd. of page 1)

7.996%

92.004%



**PBI:** Not applicable.

• **vPvB:** Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 06/05/2024

Trade name: NVP Mobile Phase (0.2 um Filtered) Reviewed on 06/05/2024

(Contd. of page 2)

	cautions, protective equipment and emergency procedures	
	ve equipment. Keep unprotected persons away.	
	al precautions:	
	enty of water.	
	to enter sewers/ surface or ground water.	
	material for containment and cleaning up:	
	iquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	uminated material as waste according to section 13.	
	ate ventilation.	
	other sections	
	for information on safe handling.	
	for information on personal protection equipment.	
	3 for disposal information.	
	tion Criteria for Chemicals	
• PAC-1:		
CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	13 pp
<i>PAC-2:</i>		
CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	50 pp
PAC-3:		
	Acetonitrile, Reagent ACS Grade	150 pp

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

 $\cdot$  Components with limit values that require monitoring at the workplace:

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

PEL Long-term value: 70 mg/m<sup>3</sup>, 40 ppm

(Contd. on page 4)

<sup>-</sup> US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: NVP Mobile Phase (0.2 um Filtered)

(Contd. of page 3)

REL Long-term value: 34 mg/m<sup>3</sup>, 20 ppm TLV Long-term value: 20 ppm Skin, A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

• Information on basic physical and • General Information	chemical properties	
· Appearance: Form:	Liquid	
Form: Color:	Liquid Clear	
· Odor:	Sweetish	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	5 °C (41 °F)	

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade	name:	NVP	Mo	bile .	Phase
		(0.2 t	um.	Filte	red)

	(Contd. of page 4)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	0.98707 g/cm <sup>3</sup> (8.2371 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	92.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: NVP Mobile Phase

(0.2 um Filtered)

(Contd. of page 5)

11 Toxicological information					
•	• Information on toxicological effects • Acute toxicity:				
· LD/LC50	· LD/LC50 values that are relevant for classification:				
ATE (Acu	te Toxicity	y Estimate)			
Oral	LD50	6,253 mg/kg			
Dermal	LD50	13,757 mg/kg			
Inhalative	LC50/4h	138 mg/l			
• on the skin • on the eye. • Sensitizatio	<ul> <li>Primary irritant effect:</li> <li>on the skin: No irritant effect.</li> <li>on the eye: No irritating effect.</li> <li>Sensitization: No sensitizing effects known.</li> <li>Additional toxicological information:</li> </ul>				
	· IARC (International Agency for Research on Cancer)				
	None of the ingredients is listed.				
· NTP (Nati	· NTP (National Toxicology Program)				
None of the	None of the ingredients is listed.				
· OSHA-Ca	· OSHA-Ca (Occupational Safety & Health Administration)				

None of the ingredients is listed.

# **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- $\cdot \textit{Other adverse effects No further relevant information available.}$

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Printing date 06/05/2024

Trade name: NVP Mobile Phase (0.2 um Filtered) Reviewed on 06/05/2024

(Contd. of page 6)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1648
UN proper shipping name	
DOT	Acetonitrile solution
IMDG, IATA	ACETONITRILE solution
Transport hazard class(es)	
DOT	
RAMARE ECCO	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L

Printing date 06/05/2024

Reviewed on 06/05/2024

	(Contd. of pag
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
IN I'M a dal Dagaslation II.	Maximum net quantity per outer packaging: 500 ml UN 1648 ACETONITRILE SOLUTION, 3, 11
· UN "Model Regulation":	UN 1048 ACEIUNITRILE SOLUTION, 5, II
5 Regulatory information	
• <b>Safety, health and environmental re</b> No further relevant information avai • <b>Sara</b>	egulations/legislation specific for the substance or mixture ilable.
• Section 355 (extremely hazardous s	ubstances):
None of the ingredients is listed.	
· Section 313 (Specific toxic chemica	l listings):
CAS: 75-05-8 Acetonitrile, Reagent	
· TSCA (Toxic Substances Control A	<i>ct</i> ):
Water	ACTIV
Acetonitrile, Reagent ACS Grade	ACTIV
· Hazardous Air Pollutants	
CAS: 75-05-8 Acetonitrile, Reagent	ACS Grade
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproduc	ctive toxicity for females:
None of the ingredients is listed.	
· Chemicals known to cause reproduc	ctive toxicity for males:
None of the ingredients is listed.	
$\cdot$ Chemicals known to cause developm	nental toxicity:
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Ag	
CAS: 75-05-8 Acetonitrile, Reagent	ACS Grade CBD,
• TLV (Threshold Limit Value)	
CAS: 75-05-8 Acetonitrile, Reagent	ACS Grade A
·NIOSH-Ca (National Institute for C	Occupational Safety and Health)
None of the ingredients is listed.	
	classified and labeled according to the Globally Harmonized System (GHS)
• Hazard pictograms	

· Signal word Danger

Printing date 06/05/2024

\*

Reviewed on 06/05/2024

### Trade name: NVP Mobile Phase (0.2 um Filtered)

(Contd. of page 8)

	(Contd. of page 8)
· Hazard statements	
Highly flammable liquid and vapor.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
	a
Dispose of contents/container in accordance with local/regional/national/international regulations	i.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
This information is based on our present knowledge. However, this shall not constitute a gue	arantee for any
	iruniee jor uny
specific product features and shall not establish a legally valid contractual relationship.	
· Department issuing SDS: Environment protection department.	
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/05/2024	
• Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2 * Data command to the manifold manifold alterned	
• * Data compared to the previous version altered.	
	US