Printing date 05/31/2024

Reviewed on 05/31/2024

1 Identification	
· Product identifier	
· Trade name: <u>Sulfuric Acid</u> <u>89.50 ± 0.20% w/w</u>	
• Article number: STA021	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.or Technical Coordinator Sherman Nelson shermann@aquasolutions.or • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
2 Hazard(s) identification • Classification of the substance or mixture GHS08 Health hazard	
Carcinogenicity 1A	H350 May cause cancer.
Skin Corrosion 1A Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Specific Target Organ Tariaity Single Expos	ure 3 H335 May cause respiratory irritation
Specific Target Organ Toxicity - Single Expos • Label elements • GHS label elements The product is classified • Hazard pictograms	and labeled according to the Globally Harmonized System (GHS).
GHS05 GHS07 GHS08	
 Signal word Danger Hazard-determining components of labeling: 	

US

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

	of page 1)	
· Hazard statements		
Causes severe skin burns and eye damage.		
May cause cancer.		
May cause respiratory irritation.		
· Precautionary statements		
Obtain special instructions before use.		
Do not handle until all safety precautions have been read and understood.		
Do not breathe dusts or mists.		
Wash thoroughly after handling.		
Use only outdoors or in a well-ventilated area.		
Wear protective gloves/protective clothing/eye protection/face protection.		
If swallowed: Rinse mouth. Do NOT induce vomiting.		
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.		
IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	v to do.	
Continue rinsing.	<i>,</i>	
Immediately call a poison center/doctor.		
IF exposed or concerned: Get medical advice/attention.		
Specific treatment (see on this label).		
Wash contaminated clothing before reuse.		
Store in a well-ventilated place. Keep container tightly closed.		
Store locked up.		
Dispose of contents/container in accordance with local/regional/national/international regulations.		
· Classification system:		
· NFPA ratings (scale 0 - 4)		
Health = 3 Fire = 0 Reactivity = 2 HMIS-ratings (scale 0 - 4) HEALTH $[3]$ Health = *3 Fire = 0 REACTIVITY $[2]$ Reactivity = 2 • Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.		
3 Composition/information on ingredients		
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.		
· Dangerous components:		
	2.268%	
Table of Nonhazardous Ingredients		
	7.732%	

Printing date 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w Reviewed on 05/31/2024

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$8.7 mg/m^3$
• PAC-3:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m ³
	US

(Contd. on page 4)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- PEL Long-term value: 1 mg/m³
- REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³ *as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

 $(Contd. \ on \ page \ 5)$

Printing date 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

Reviewed on 05/31/2024

(Contd. of page 4)

\cdot Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:		
Form:	Viscous liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.77505 g/cm³ (14.81279 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

	(Contd. of pag	e 5)
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
• Solvent content: Water: VOC content:	7.7 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

1

K

US

Printing date 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w Reviewed on 05/31/2024

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

I4 Transport information • UN-Number UN1830 • DOT, IMDG, IATA UN1830 • UN proper shipping name DOT • DOT Sulfuric acid • IMDG, IATA SULPHURIC ACID • Transport hazard class(es) DOT • DOT Example • Class 8 Corrosive substances

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

abel8acking groupIIOT, IMDG, IATAIInvironmental hazards: Yarine pollutant:Nobecial precautions for userWarning. Warning: azard identification number (Kemler code):80MS Number: egregation groupsF-A,S-Begregation groups(SGG1) Aowage Category egregation CodeSW15 Foegregation CodeSG36 Staransport in bulk according to Annex II of (ARPOL73/78 and the IBC CodeNot applaor ansport/Additional information: OT uantity limitationsOn passe On cargoOT imited quantities (LQ)ILKcepted quantities (EQ)IL	(Contd. of page
Wass 8 Corros abel 8 acking group 0T, IMDG, IATA OT, IMDG, IATA II nvironmental hazards: No becial precautions for user Warning. azard identification number (Kemler code): 80 MS Number: F-A,S-B begregation groups (SGG1) A cowage Category C cowage Code SW15 Fo begregation Code SG36 State ransport in bulk according to Annex II of Not applie ransport/Additional information: On passe OT uantity limitations On passe On cargo MDG IL cordet quantities (LQ) 1L Code: E2	
abel8acking group OT, IMDG, IATAIImvironmental hazards: Varine pollutant:Nopecial precautions for userWarning. Azard identification number (Kemler code):begregation groups(SGG1) A Cowage CategoryCcowage CodeSW15 Fo SG36 State SG49 Statecomsport in bulk according to Annex II of VARPOL73/78 and the IBC CodeNot applieor ransport in bulk according to Annex II of CARPOL73/78 and the IBC CodeNot applieor ransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoDG imited quantities (LQ)IL Code: E2	
abel8acking group OT, IMDG, IATAIImvironmental hazards: Varine pollutant:Nopecial precautions for userWarning. Azard identification number (Kemler code):begregation groups(SGG1) A Cowage CategoryCcowage CodeSW15 Fo SG36 State SG49 Statecomsport in bulk according to Annex II of VARPOL73/78 and the IBC CodeNot applieor ransport in bulk according to Annex II of CARPOL73/78 and the IBC CodeNot applieor ransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoDG imited quantities (LQ)IL Code: E2	
abel8acking group OT, IMDG, IATAIImvironmental hazards: Varine pollutant:Nopecial precautions for userWarning. Azard identification number (Kemler code):begregation groups(SGG1) A Cowage CategoryCcowage CodeSW15 Fo SG36 State SG49 Statecomsport in bulk according to Annex II of VARPOL73/78 and the IBC CodeNot applieor ransport in bulk according to Annex II of CARPOL73/78 and the IBC CodeNot applieor ransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoDG imited quantities (LQ)IL Code: E2	
abel8acking group OT, IMDG, IATAIImvironmental hazards: Varine pollutant:Nopecial precautions for userWarning. Azard identification number (Kemler code):begregation groups(SGG1) A Cowage CategoryCcowage CodeSW15 Fo SG36 State SG49 Statecomsport in bulk according to Annex II of VARPOL73/78 and the IBC CodeNot applieor ransport in bulk according to Annex II of CARPOL73/78 and the IBC CodeNot applieor ransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoDG imited quantities (LQ)IL Code: E2	
acking group OT, IMDG, IATAIInvironmental hazards: Varine pollutant:Nopecial precautions for userWarning. azard identification number (Kemler code):acard identification number (Kemler code):80MS Number:F-A,S-Bcogregation groups(SGG1) Aowage CategoryCcowage CodeSW15 Focogregation CodeSG36 Statecomsport in bulk according to Annex II of VARPOL73/78 and the IBC CodeNot applieransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoIDG imited quantities (LQ)IL Code: E2	ve substances
OT, IMDG, IATAIInvironmental hazards: larine pollutant:Nopecial precautions for userWarning. azard identification number (Kemler code): 80MS Number:F-A,S-Begregation groups(SGG1) Acowage CategoryCcowage CodeSW15 Foegregation CodeSG36 Staransport in bulk according to Annex II of (ARPOL73/78 and the IBC CodeNot applaransport/Additional information:On passe On cargoOT uantity limitationsOn passe On cargoIDG imited quantities (LQ)IL Code: E2	
Invironmental hazards: No Varine pollutant: No Decial precautions for user Warning. azard identification number (Kemler code): 80 MS Number: F-A,S-B Egregation groups (SGG1) A owage Category C owage Code SW15 Fo Egregation Code SG36 Sta ransport in bulk according to Annex II of Not appla ransport in bulk according to Annex II of Not appla ransport/Additional information: On passe OT On cargo uantity limitations On passe On cargo IL mited quantities (LQ) IL xcepted quantities (EQ) Code: E2	
Aarine pollutant:Nopecial precautions for userWarning.azard identification number (Kemler code):80MS Number:F-A,S-Begregation groups(SGG1) Aowage CategoryCcowage CodeSW15 Foegregation CodeSG36 Staransport in bulk according to Annex II ofransport/Additional information:OTOn passeuantity limitationsOn passeOTILcompleteSCAPcompleteSCAPcompleteCode: E2	
pecial precautions for user Warning. azard identification number (Kemler code): 80 MS Number: F-A,S-B gregation groups (SGG1) A owage Category C owage Code SW15 Fo ogregation Code SG36 Sta SG49 Sta ransport in bulk according to Annex II of ARPOL73/78 and the IBC Code Not apple ransport/Additional information: OT uantity limitations On passe On cargo ADG imited quantities (LQ) IL xcepted quantities (EQ) Code: E2	
azard identification number (Kemler code): 80MS Number:F-A,S-BEgregation groups(SGG1) Acowage CategoryCcowage CodeSW15 Focgregation CodeSG36 Statecgregation CodeSG49 Statecansport in bulk according to Annex II ofNot appliecansport in bulk according to Annex II ofNot appliecansport/Additional information:On passeOTOn cargouantity limitationsOn passeODGILimited quantities (LQ)ILxcepted quantities (EQ)Code: E2	
MS Number:F-A,S-Begregation groups(SGG1) Aowage CategoryCowage CodeSW15 Foegregation CodeSG36 Staegregation CodeSG49 Staransport in bulk according to Annex II of (ARPOL73/78 and the IBC CodeNot appleransport/Additional information:OTounnity limitationsOn passe On cargaIDG imited quantities (LQ)ILxcepted quantities (EQ)Code: E2	Corrosive substances
egregation groups(SGG1) Acowage CategoryCcowage CodeSW15 Focgregation CodeSG36 Stacgregation CodeSG49 Stacansport in bulk according to Annex II ofNot applecansport in bulk according to Annex II ofNot applecansport/Additional information:OTcontinuantity limitationsOn passecontageOn cargecantities (LQ)ILcode: E2code: E2Code: E2	
owage CategoryCowage CodeSW15 Foogregation CodeSG36 Stasgregation CodeSG49 Staransport in bulk according to Annex II ofId'ARPOL73/78 and the IBC CodeNot applieransport/Additional information:OToTOn passeuantity limitationsOn cargoIDGIL'mited quantities (LQ)ILxcepted quantities (EQ)Code: E2	
owage CodeSW15 Foegregation CodeSG36 Stateegregation CodeSG36 StateSG49 StateSG49 Stateransport in bulk according to Annex II ofInterplay(ARPOL73/78 and the IBC CodeNot applayransport/Additional information:Not applayOTOn passeuantity limitationsOn passeODGILranited quantities (LQ)ILxcepted quantities (EQ)Code: E2	cids
egregation CodeSG36 State SG49 Statecansport in bulk according to Annex II of (ARPOL73/78 and the IBC CodeNot applacansport/Additional information:Not applacorrOT uantity limitationsOn passe On cargoIDG imited quantities (LQ)IL Code: E2	
SG49 Sta ransport in bulk according to Annex II of ARPOL73/78 and the IBC Code Not apple ransport/Additional information: OT uantity limitations On passe On cargo ADG imited quantities (LQ) 1L xcepted quantities (EQ) Code: E2	r metal drums, stowage category B.
ransport in bulk according to Annex II of (ARPOL73/78 and the IBC Code Not apple ransport/Additional information: OT uantity limitations On passe On cargo ADG imited quantities (LQ) 1L xcepted quantities (EQ) Code: E2	w "separated from" SGG18-alkalis.
ARPOL73/78 and the IBC Code Not apple ransport/Additional information: OT OT On passe uantity limitations On passe ODG IL rimited quantities (LQ) IL xcepted quantities (EQ) Code: E2	w "separated from" SGG6-cyanides
ransport/Additional information: OT uantity limitations On cargo ADG imited quantities (LQ) xcepted quantities (EQ) Code: E2	
OT uantity limitations On passe On cargo IDG imited quantities (LQ) IL xcepted quantities (EQ) Code: E2	cable.
uantity limitations On passe On cargo MDG Emited quantities (LQ) Code: E2	
On cargo ADG imited quantities (LQ) 1L ixcepted quantities (EQ) Code: E2	
ADG imited quantities (LQ) 1L xcepted quantities (EQ) Code: E2	ıger aircraft/rail: 1 L
imited quantities (LQ) 1L xcepted quantities (EQ) Code: E2	aircraft only: 30 L
xcepted quantities (\widetilde{EQ}) Code: E2	
(-z)	
Maximun	
	net quantity per inner packaging: 30 ml
Maximur	net quantity per outer packaging: 500 ml
N "Model Regulation": UN 1830	SULPHURIC ACID, 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Surv	
· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· TSCA (Toxic Substances Control Act):	
Sulfuric Acid 96 - 98%	ACTIVE
Water	ACTIVE
	(Contd. on page 9)
	US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid

 $89.50 \pm 0.20\%$ w/w

(Contd. of page 8)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sulfuric Acid 96 - 98% · Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause respiratory irritation. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention.

(Contd. on page 10)

⁻ US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfuric Acid 89.50 ± 0.20% w/w

(Contd. of page 9)

Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 05/31/2024: Reviewed SDS for accuracy. MH/STN 05/31/2024
 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- *VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic*
- PB1: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Corrosion 1A: Skin corrosion/irritation Category 1A
- *Eye Damage 1: Serious eye damage/eye irritation Category 1*
- Carcinogenicity 1A: Carcinogenicity Category 1A
- Specific Target Organ Toxicity Single Exposure 3: Specific target organ toxicity (single exposure) Category 3
- \cdot * Data compared to the previous version altered.