Printing date 06/07/2024 Reviewed on 06/07/2024

## 1 Identification

· Product identifier

· Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

· Article number: 1872

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department: Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

H334 May cause allergy or asthma symptoms or breathing Sensitization - Respiratory 1

difficulties if inhaled.

H340 May cause genetic defects. Germ Cell Mutagenicity 1B

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. Eye Damage 1



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)



Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 1)

#### · Hazard pictograms





# · Signal word Danger

# · Hazard-determining components of labeling:

Sulfuric Acid 96 - 98%

Potassium Dichromate

#### · Hazard statements

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

GHS08

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

May cause respiratory irritation.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 3)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	onents:	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	96.476%
CAS: 7778-50-9	Potassium Dichromate	0.541%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	2.984%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 3)

### \*

### 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
CAS: 7778-50-9	Potassium Dichromate	0.42 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m³
CAS: 7778-50-9	Potassium Dichromate	7.4 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m³
CAS: 7778-50-9	Potassium Dichromate	44 mg/m <sup>3</sup>

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 4)

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

### · Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m<sup>3</sup>

TLV Long-term value: 0.2\* mg/m³
\*as thoracic fraction, A2

CAS: 7778-50-9 Potassium Dichromate

PEL Long-term value: 0.005\* mg/m<sup>3</sup>

Ceiling limit value: 0.1\*\* mg/m<sup>3</sup>

\*as Cr(VI) \*\*as CrO3; see 29 CFR 1910.1026

REL Long-term value: 0.0002 mg/m<sup>3</sup>

as Cr; See Pocket Guide Apps. A and C

TLV Short-term value: 0.0005 mg/m<sup>3</sup>

Long-term value: 0.0002 mg/m<sup>3</sup>

as Cr(VI); A1; inhalable, Skin; BEI, DSEN, RSEN

#### · Ingredients with biological limit values:

### CAS: 7778-50-9 Potassium Dichromate

BEI 25 μg/L

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: Total chromium (fume)

10 μg/L

LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



(Contd. on page 6)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties	
· Information on basic physical and o · General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	Brown-black
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	<1
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	<0.01 hPa (<0 mm Hg)
· Density at 20 °C (68 °F):	1.85 g/cm³ (15.43825 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 7)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	23 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Water:	3.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.5 %	
· Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

L	· LD/LC30 values that are relevant for classification:		
ſ	ATE (Acua	te Toxicity	Estimate)
Ī	Oral	LD50	18,501 mg/kg
١	Inhalative	LC50/4h	9.25 mo/l

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Corrosive

Irritant

(Contd. on page 8)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 7)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Internation	onal Agency for Research on Cancer)	
	Sulfuric Acid 96 - 98%	1
CAS: 7778-50-9	Potassium Dichromate	1
,	Toxicology Program)	
	Sulfuric Acid 96 - 98%	K
CAS: 7778-50-9	Potassium Dichromate	K
· OSHA-Ca (Occu	pational Safety & Health Administration)	
None of the ingre	edients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

us.

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution APHA 2580 B and ASTM D 1498

(Contd. of page 8)

4 Transport information	
· UN-Number	
· ON-Number · DOT, IMDG, IATA	UN1830
· UN proper shipping name · DOT	Sulfuric acid solution
· IMDG, IATA	SULPHURIC ACID solution
· Transport hazard class(es)	
· DOT	
UF The CORROSIVE	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code).	
· EMS Number:	F- $A$ , $S$ - $B$
· Segregation groups	(SGG1) Acids
· Stowage Category	E CW15 For motal draws atomas agree and P
· Stowage Code	SW15 For metal drums, stowage category B.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
$\cdot$ DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1830 SULPHURIC ACID SOLUTION, 8, II

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 9)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 7778-50-9 Potassium Dichromate

· TSCA (Toxic Substances Control Act):

Sulfuric Acid 96 - 98% **ACTIVE** Water **ACTIVE** Potassium Dichromate **ACTIVE** 

· Hazardous Air Pollutants

CAS: 7778-50-9 Potassium Dichromate

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for females:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for males:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause developmental toxicity:

CAS: 7778-50-9 Potassium Dichromate

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 7778-50-9 Potassium Dichromate

A(inh), D(oral), K/L(inh), CBD(oral)

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98% A2A1

CAS: 7778-50-9 Potassium Dichromate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7778-50-9 Potassium Dichromate

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS06





· Signal word Danger

· Hazard-determining components of labeling:

Sulfuric Acid 96 - 98% Potassium Dichromate

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 10)

#### · Hazard statements

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

May cause respiratory irritation.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

*If swallowed: Rinse mouth. Do NOT induce vomiting.* 

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 06/07/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 05-29-2024: Creation date for SDS. STN

06/07/2024

(Contd. on page 12)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Cleaning Solution

APHA 2580 B and ASTM D 1498

(Contd. of page 11)

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Respiratory 1: Respiratory sensitisation – Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B

Carcinogenicity 1A: Carcinogenicity - Category 1A

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

\* \* Data compared to the previous version altered.

HIC