Printing date 06/06/2024

*

Reviewed on 06/06/2024

| Product identifier | |
|---|---|
| Trade name: Salicylic Acid | |
| 160 gpL in Methanol | |
| Article number: SPX746 | |
| Details of the supplier of the safety data sheet | |
| <i>Manufacturer/Supplier:</i> Aqua Solutions, Inc. | |
| 6913 Highway 225 | SOLUTIONS |
| DEER PARK, TX 77536 | |
| USA 800-256-2586 | |
| Information department: | |
| Technical Coordinator | |
| Sherman Nelson shermann@aquasolutions.org | |
| <i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i> | |
| Canutec: 613-996-6666 | |
| | |
| Hazard(s) identification | |
| Classification of the substance or mixture | |
| | H225 Highly flammable liquid and vapor. |
| Classification of the substance or mixture GHS02 Flame | H225 Highly flammable liquid and vapor. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 | H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 | H301 Toxic if swallowed. H311 Toxic in contact with skin. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 | H301 Toxic if swallowed. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 | H301 Toxic if swallowed. H311 Toxic in contact with skin. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 | H301 Toxic if swallowed. H311 Toxic in contact with skin. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 Coxic to Reproduction 2 | H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 Coxic to Reproduction 2 | H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and t |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 Coxic to Reproduction 2 | H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and t |
| Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2 Specific Target Organ Toxicity - Single Exposure 1 | H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and t |

Printing date 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 06/06/2024

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 2)

79.829%

20.172%

Reviewed on 06/06/2024

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol CAS: 69-72-7 salicylic acid

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 06/06/2024

*

*

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 06/06/2024

(Contd. of page 3)

| · Personal precautions, protective equipment and emergency procedures | |
|---|-----------|
| Mount respiratory protective device. | |
| Wear protective equipment. Keep unprotected persons away. | |
| • Environmental precautions: Do not allow to enter sewers/ surface or ground water. | |
| • Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | |
| Use neutralizing agent. | |
| Dispose contaminated material as waste according to section 13. | |
| Ensure adequate ventilation. • Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 7 for information on safe nanating. See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| · Protective Action Criteria for Chemicals | |
| • PAC-1: | |
| CAS: 67-56-1 Methanol | 530 ppn |
| · PAC-2: | |
| CAS: 67-56-1 Methanol | 2,100 ppn |
| · PAC-3: | |
| CAS: 67-56-1 Methanol | 7200* ppn |
| Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. | |
| • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. | |
| Protect against electrostatic charges. | |
| <i>Keep respiratory protective device available.</i> | |
| Reep respiratory protective device dvalable. | |
| · Conditions for safe storage, including any incompatibilities | |
| • Conditions for safe storage, including any incompatibilities • Storage: | |
| Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. | |
| Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. | |
| Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: | |
| Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. | |
| Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: | |

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 4)

| | (Contd. of page 4 |
|---------------|---|
| · Cont | rol parameters |
| | ponents with limit values that require monitoring at the workplace: |
| | following constituent is the only constituent of the product which has a PEL, TLV or other recommended |
| | sure limit. |
| At th | is time, the remaining constituent has no known exposure limits. |
| CAS | : 67-56-1 Methanol |
| PEL | Long-term value: 260 mg/m ³ , 200 ppm |
| | Short-term value: 325 mg/m ³ , 250 ppm |
| TILL | Long-term value: 260 mg/m ³ , 200 ppm |
| | Skin |
| TIV | Short-term value: 250 ppm |
| 111 | Long-term value: 200 ppm |
| | Skin; BEI |
| T | |
| - | edients with biological limit values: |
| | : 67-56-1 Methanol |
| | 15 mg/L |
| | LD50 Intraperitoneal: urine |
| | Time: end of shift |
| | LD50: Methanol (background, nonspecific) |
| Auui | tional information: The lists that were valid during the creation were used as basis. |
| ·Expo | osure controls |
| · Perso | onal protective equipment: |
| | eral protective and hygienic measures: |
| | away from foodstuffs, beverages and feed. |
| | ediately remove all soiled and contaminated clothing. |
| | hands before breaks and at the end of work. |
| | protective clothing separately. |
| | d contact with the eyes. |
| | d contact with the eyes and skin. |
| | thing equipment: |
| | se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ratory protective device that is independent of circulating air. |
| | ection of hands: |
| 1100 | cuon of numus. |
| | ή han a star |
| - Chille | Protective gloves |
| | |
| $T_{\rm b}$. | - |
| | glove material has to be impermeable and resistant to the product/ the substance/ the preparation. |
| | to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the trical mixture. |
| | tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation |
| | rion of the glove material on constaeration of the penetration times, rates of alfusion and the degradation rial of gloves |
| | selection of the suitable gloves does not only depend on the material, but also on further marks of quality an |
| | is from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of |
| | love material can not be calculated in advance and has therefore to be checked prior to the application. |
| | tration time of glove material |
| | exact break through time has to be found out by the manufacturer of the protective gloves and has to b |
| obset | |
| 0000 | (Contd. on page) |
| | (containing page |

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 5)

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and c | chemical properties |
|---------------------------------------|--|
| General Information | |
| Appearance: | |
| Form: | Liquid |
| Color: | Clear to pale pink |
| Odor: | Methanol |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 64 °C (147.2 °F) |
| Flash point: | 11 °C (51.8 °F) |
| Flammability (solid, gaseous): | Highly flammable. |
| Auto igniting: | 455 °C (851 °F) |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. |
| Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) |
| Density at 20 °C (68 °F): | 0.7932 g/cm ³ (6.61925 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wate | er): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |

US –

Printing date 06/06/2024

Reviewed on 06/06/2024

| Trade na | me: Salicyli | ic Acid |
|----------|--------------|---------------|
| | 160 gp | L in Methanol |

| | (| Contd. of page 6) |
|---|--|-------------------|
| Solvent content: Organic solvents: VOC content: | 79.8 % 79.83 % 633.2 g/l / 5.28 lb/gal | |
| Solids content: | 20.2 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50119 mg/kg

DermalLD50376 mg/kgInhalativeLC50/4h3.76 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 06/06/2024

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number | | |
|----------------------------|--------------------------------------|--|
| DOT, IMDG, IATA | UN1993 | |
| UN proper shipping name | | |
| DOT | Flammable liquids, n.o.s. (Methanol) | |
| IMDG, IATA | FLAMMABLE LIQUID, N.O.S. (Methanol) | |
| Transport hazard class(es) | | |
| DOT | | |
| | | |
| | | |
| 3 | | |
| - Class | 3 Flammable liquids | |
| Label | 3 | |

Printing date 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 06/06/2024

| | (Contd. of pag |
|--|--|
| IMDG, IATA | |
| | |
| | |
| | |
| | 2 El anno abla li ani da |
| Class Label | 3 Flammable liquids 3 |
| | 5 |
| Packing group | |
| DOT, IMDG, IATA | 11 |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code) | |
| EMS Number: | <i>F-E</i> , <u><i>S-E</i></u> |
| Stowage Category | В |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 1 L |
| | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (\widetilde{EQ}) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Sara

*

| · suru |
|---|
| · Section 355 (extremely hazardous substances): |
| None of the ingredients is listed. |
| · Section 313 (Specific toxic chemical listings): |
| CAS: 67-56-1 Methanol |
| · TSCA (Toxic Substances Control Act): |
| Methanol |
| salicylic acid |
| · Hazardous Air Pollutants |
| CAS: 67-56-1 Methanol |

(Contd. on page 10)

ACTIVE ACTIVE

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Salicylic Acid

160 gpL in Methanol

(Contd. of page 9)

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor.

(Contd. on page 11)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 10)

Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN 06/06/2024 · Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 * Data compared to the previous version altered.