Printing date 06/06/2024

Reviewed on 06/06/2024

1 Identification

- · Product identifier
- Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic
- Article number: HAC010
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier:

Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable

· Precautionary statements

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 00 Fire = 0**REACTIVITY** O Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

(Contd. of page 1)

0.13%

99.869%

0.001%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:	
-------------------------	--

CAS: 7697-37-2 Nitric Acid
· Table of Nonhazardous Ingredients
CAS: 7732-18-5 Water

CAS: 7440-38-2 arsenic

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

CAS: 7697-37-2 Nitric Acid	0.16 ppm
CAS: 7440-38-2 arsenic	$1.5 mg/m^3$
	(Contd. on page 3)

- US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

		(Contd. of page 2)
· PAC-2:		
CAS: 7697-37-	2 Nitric Acid	24 ppm
CAS: 7440-38	2 arsenic	17 mg/m ³
· PAC-3:		
CAS: 7697-37-	2 Nitric Acid	92 ppm
CAS: 7440-38	2 arsenic	100 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00061 g/cm³ (8.35009 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

	(Contd. of page 4)
99.9 %	
0.00 %	
0.0 g/l / 0.00 lb/gal	
0.0 %	
No further relevant information available.	
	0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 2,312 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7440-38-2 arsenic

· NTP (National Toxicology Program)

CAS: 7440-38-2 arsenic

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 7440-38-2 arsenic

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

1

K

US

Printing date 06/06/2024

Reviewed on 06/06/2024

(Contd. of page 5)

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name	
· DOT, ADN, IATA	Not regulated
· IMDG	Not Regulated
	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Not regulated
· Packing group	
· DOT, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances):
- CAS: 7697-37-2 Nitric Acid

(Contd. on page 7)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

		(Contd. of page 6)	
· Section 313 (Sp	ecific toxic chemical listings):		
CAS: 7697-37-2	Nitric Acid		
CAS: 7440-38-2	arsenic		
· TSCA (Toxic Su	bstances Control Act):		
Water		ACTIVE	
Nitric Acid		ACTIVE	
arsenic		ACTIVE	
· Hazardous Air I	Pollutants		
None of the ingr	edients is listed.		
· Proposition 65			
· Chemicals know	n to cause cancer:		
CAS: 7440-38-2	arsenic		
· Chemicals know	on to cause reproductive toxicity for females:		
None of the ingr	edients is listed.		
· Chemicals know	n to cause reproductive toxicity for males:		
None of the ingr	edients is listed.		
· Chemicals know	• Chemicals known to cause developmental toxicity:		
None of the ingr	None of the ingredients is listed.		
· Carcinogenic ca	itegories		
· EPA (Environm	ental Protection Agency)		
CAS: 7440-38-2	arsenic	A	
· TLV (Threshold	Limit Value)		
CAS: 7440-38-2	arsenic	A1	
· NIOSH-Ca (Nat	tional Institute for Occupational Safety and Health)		
CAS: 7440-38-2			
 Hazard pictograf Signal word Not Hazard statement Precautionary state If swallowed: Call for skin: Wash If in eyes: Rinse Continue rinsing Store in a closed Dispose of conte 	nts Not Applicable tatements all a poison center/doctor if you feel unwell. with plenty of water. e cautiously with water for several minutes. Remove contact lenses, if present c y.	·	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Calibration Solution 10 mg/L Arsenic For EZ6200-Arsenic

	(Contd. of page 7)
· Date of preparation / last revision	
Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/06/2024	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
* Data compared to the previous version altered.	
	US -